Date: 27th December 2024

#### Submission:

Subject: Revision of Schedule of Rates (SOR) - for various consultancy services provided by the Department of Civil Engineering.

The Department of Civil Engineering at IITRAM is well equipped with state-of-the-art facilities. In order to optimally use these facilities along with regular academics, the department had started various material testing consultancy services for government and private organizations in the field of construction industries, since November 2017-18. As on date there are more than 30 such agencies whom we are providing this consultancy services. This adds to the generation of revenue which can be used for the development of laboratories and research facilities.

The schedule of rates for various material testing, was last revised during FY 2020-21 (June 2020).

With this, the proposal of a revised schedule of rates (SOR)- 2024-25 which shall be applicable from 1<sup>st</sup> January 2025 is attached for your perusal and kind approval please. The SOR is revised and updated by considering the SOR of Gujarat Engineering Research Institute (GERI) and SOR of SVNIT, Surat as reference.

For your kind consideration and approval please. The rates have been increase of the rates have been increased off. The old of the old sometimes of the old sometimes of the old sometimes.

Head of the Department

Director General Office ITRAM Ahmedabad Inward No.: 6

Data: 2112025 Sign.: Stubs

I/C Director General

Encl: 1. Revised SOR — Department of Civil Engineering, IITRAM — 2024-25





# Institute of Infrastructure, Technology, Research and Management (IITRAM)

## **Department of Civil Engineering**

## Schedule of Rates for Material Testing Consultancy Services Offered by Department of Civil Engineering, IITRAM For the Year 2024-25 (W.E.F. 1st January 2025)


#### A] TRANSPORTATION ENGINEERIGN LABORATORY -

Code/	NAME OF TROOP		Amount in	(Rs.) (INR)				
Sr. No.	NAME OF TEST	Unit per	For Govt. Agency	For Private Agency				
	ROAD MATERIAL TESTING							
		TÇ.						
1	COARSE AGGREGATE (F	or Road ar	nd Building Constru	ction)				
1,1	Grading or Mechanical Analysis	No.	880	1100				
1.2	Impact Test	No.	660	825				
1.3	Soundness Test (3 Cycle)	No.	2376	29 <del>70</del>				
1.4	Soundness Test (5 Cycle)	No.	2728	3410				
1.5	Loss Angels Abrasion Test	No.	1540	1925				
1.6	Crushing Value Test	No.	1496	1870				
1.7	Specific Gravity	No.	880	11.00				
1.8	Water Absorption Test	No.	528	660				
1.9	Flakiness Index	No.	704	880				
1.10	Elongation Index	No.	704	880				
1.11	Combined Flakiness and Elongation Index Test	No.	1144	1430				
1.12	Bulk Density	No.	440	550.				
1.13	Alkali Reactivity	No.	6776	8470-				
1,14	Stripping Value Test	No.	1320	1650				
1.15	Deleterious Constituents	No.	TECHNOLOGY, MESCA 3080	3850.				

Page 1 of 12

2	FINE AGGREGATE (For F	Road and B	uilding Co	onstruction)	
2.1	Soundness Test (3 Cycle)	No.	- 4	2376	2970
2:2	Soundness Test (5 Cycle)	No.	4	2728	3410
2.3	Specific Gravity	No.	6 2	880	1100
2:4	Water Absorption Test	No.		528	660
2.5	Bulk Density	No.	4	440	* 550
2.6	Alkali Reactivity	No.		6776	8470
2.7	Silt Content	No.	j.	440	550
2.8	Fineness Modulus	No.	4	660	825
2.9	Sand Equivalent Test (For 6mm & Stone Dust)	No.	0.07	1848	2310
2.10	Percentage of Fractured Test	No.	( i i i i i i i i i i i i i i i i i i i	1320	1650
2.11	Plasticity Index (Stone Dust)	No.		1584	1980
					1
-3	Bitumen	8	Y (x 9)		
-3.1	Softening Test	No.		2112	2640
3.2	Penetration Test	No.	_	1804	225
3.3	Ductility Test	No.		1628	2035
3.4	Viscosity Test (Tar Viscometer)	No.		1760	2200
3.5	Viscosity Test (Absolute/Kinematic)	No.		2464	3080
3.6	Bitumen Content by Centrifuge Method	No.		3256	4070
3.7	Specific Gravity Test	No.		660	825
3.8	Short term Aging of Bitumen using RTFO	Set of 5 samples		13200	1650
3.9	Long term Aging of Bitumen using PAV	Set of 8 samples		20240	2530

4	MIX DESIGN			
4.1	Bituminous Mix Design			
4.2	(a) Marshal Mix Design - for Bituminous mix - Standard	No.	57200	71500
	(b) Marshal Mix Design - for Bituminous mix - Modified	No.	61600	77000
4.3	Mix Design for Wet Mix Macadam (WMM)	No.	21120	26400
4.4	Mix Design for Granular Sub-base (GSB)	No.	21120	26400
4.5	Marshall Stability and Flow Test (For 3 Sample)	= 2		
Ţ,	(a) Ready Mould	No.	1320	1650
	(b) With Casting	No.	2376	2970
4.6	Retained Tensile Strength (Water Sensitivity) (For 3 Sample) (with casting)	No.	5280	6600
-0-1		ij.		
5	PAVEMENT DESIGN AND	EVALUA	TION	0
5.1	Flexible Pavement Thickness Design (Data Supplied by Client)	Design	52800	66000-
5.2	Benkleman Beam Test (Truck and Labour to be arranged by Client)	No.		1100/km/lape
5.3	Traffic Volume Study		As per Site con	dition
5.4	Speed Survey (Using Radar Gun- On Sample Basis; 30 representative samples/hr.)	No.	2640/direction/lane location/ shift (8 hrs.)	3300/direction/lane location/ shift (8 hrs.)



### B] SOIL MECHANICS LABORATORY:

C'm		2.5		Amount in R	S.
Sr. No.	o. NAME OF TEST		Academic Institutions	For Govt. Agencies	For Private Agencies
	SOIL MATE	RIAL TE	ESTING		100
1	Hydrometer Analysis	No.	1050	1680	2100
2	Sieve Analysis	No.	600	960	1200
3 -	-Atterberg's Limit	No.	1000	1600	2000
4	Specific Gravity	No.	700	1120	1400
5	Shrinkage Limit	No.	800	1280	1600
6	Field Dry Density & Moisture Content by Core Cutter Method	No.	750	1200	1500
7	Field Dry Density & Moisture Content by Sand Replacement Method	No.	800	1280	1600
8	Light Compaction (Proctor Test)	No.	1500	2400	3000
9	Heavy Compaction (Modified Proctor Test)	No.	1750	2800	3500
10	Min. and Max. Density (Relative Density):	No.	1500	2400	3000
11	Swelling: Pressure	No.	1500	2400	3000
12	Free Swell Index	No.	600	960	1200
13	Unconfined Compression Test (3 Specimen of 38 mm × 76 mm)	No.	500	800	1000
14	Laboratory Vane Shear Test (3 Specimen)	No.	800	1280	1600
15	Box Shear Test (3 specimens of 60 mm × 60 mm Specimen)	No.	1000	1600	2000
16	Box Shear Test (3 specimens of 300 mm × 300 mm Specimen)		3000	4800	6000
17	Consolidation Test (60 mm Diameter)	No.	4000	6400	8000
18:	Unconsolidated Undrained Triaxial Test	Majoroa	3600	5760	7200

				V EQ. TELLIN
(3 Specimen of 38 mm × 76 mm)				
Unconsolidated Undrained Triaxial Test (3 Specimen of 50 mm × 100 mm)	No.	4250	6800	8500
Unconsolidated Undrained Triaxial Test (3 Specimen of 100 mm × 200 mm)	No.	5000	8000	10000
Consolidated Undrained Triaxial (3 Specimen of 38 mm × 76 mm)	No.	9000	14400	18000
Consolidated Undrained Triaxial (3 Specimen of 50 mm × 100 mm)	No.	10500	16800	21000
Consolidated Undrained Triaxial (3 Specimen of 100 mm × 200 mm)	No.	12000	19200	24000
Natural Moisture Content	No.	325	520	650
CBR test (Unsoaked) 3 specimens	No.	1600	2560	3200
CBR test – Heavy Compaction (Unsoaked) 3 Specimen	No.	2000	3200	4000
CBR test (Soaked) 3 specimens	No.	2000	3200	4000
CBR test – Heavy Compaction (Soaked) 3 Specimen	No.	2500	4000	5000
Silt Content	No.	300	480	600
	Unconsolidated Undrained Triaxial Test (3 Specimen of 50 mm × 100 mm)  Unconsolidated Undrained Triaxial Test (3 Specimen of 100 mm × 200 mm)  Consolidated Undrained Triaxial (3 Specimen of 38 mm × 76 mm)  Consolidated Undrained Triaxial (3 Specimen of 50 mm × 100 mm)  Consolidated Undrained Triaxial (3 Specimen of 100 mm × 200 mm)  Natural Moisture Content  CBR test (Unsoaked) 3 specimens  CBR test - Heavy Compaction (Unsoaked) 3 Specimen  CBR test (Soaked) 3 specimens  CBR test - Heavy Compaction (Soaked) 3 Specimen	Unconsolidated Undrained Triaxial Test (3 Specimen of 50 mm × 100 mm)  Unconsolidated Undrained Triaxial Test (3 Specimen of 100 mm × 200 mm)  Consolidated Undrained Triaxial (3 Specimen of 38 mm × 76 mm)  Consolidated Undrained Triaxial (3 Specimen of 50 mm × 100 mm)  Consolidated Undrained Triaxial (3 Specimen of 100 mm × 200 mm)  No.  Consolidated Undrained Triaxial (3 No.  Specimen of 100 mm × 200 mm)  No.  CBR test (Unsoaked) 3 specimens  No.  CBR test – Heavy Compaction (Unsoaked) 3 Specimen  CBR test (Soaked) 3 specimens  No.  CBR test – Heavy Compaction (Soaked) No.  Specimen	Unconsolidated Undrained Triaxial Test (3 Specimen of 50 mm × 100 mm)  Unconsolidated Undrained Triaxial Test (3 Specimen of 100 mm × 200 mm)  Consolidated Undrained Triaxial (3 Specimen of 38 mm × 76 mm)  Consolidated Undrained Triaxial (3 Specimen of 50 mm × 100 mm)  Consolidated Undrained Triaxial (3 Specimen of 50 mm × 100 mm)  Consolidated Undrained Triaxial (3 Specimen of 100 mm × 200 mm)  Natural Moisture Content  No. 325  CBR test (Unsoaked) 3 specimens  No. 1600  CBR test – Heavy Compaction (Unsoaked) 3 Specimen  CBR test (Soaked) 3 specimens  No. 2000  CBR test – Heavy Compaction (Soaked) No. 2500  Specimen	Unconsolidated Undrained Triaxial Test (3 Specimen of 50 mm × 100 mm)  Unconsolidated Undrained Triaxial Test (3 Specimen of 100 mm × 200 mm)  Consolidated Undrained Triaxial (3 Specimen of 38 mm × 76 mm)  Consolidated Undrained Triaxial (3 Specimen of 50 mm × 100 mm)  Consolidated Undrained Triaxial (3 Specimen of 50 mm × 100 mm)  Consolidated Undrained Triaxial (3 Specimen of 100 mm × 200 mm)  No. 12000 19200  CBR test (Unsoaked) 3 specimens  No. 325 520  CBR test (Unsoaked) 3 specimens  No. 2000 3200  CBR test (Soaked) 3 specimens  No. 2000 3200  CBR test - Heavy Compaction (Soaked) 3 Specimen

J. Jour Jan. Str. Hology, RESEARCH LANDINGS BY SAMEON OF STREET OF

### C] ENVIRONMENTAL ENGINEERING LABORATORY:

Code/	4.			n (Rs.) (INR)	
Sr.No.	o. NAME OF TEST		For Govt. Agency	For Private Agency	
1	Complete Chemical Analysis Of Engr. Material Like Cement/Lime/Lime Stone Pozzolona	No.	6173.2	7716.5	
2	Percent. Loss On Igni.(Part Analy. Of 18.01)	No.	616	770	
3	% Silica(Part Analysis Of 18.01)	No.	2464	3080	
4	% Fe2 O3(Ferric Oxide)(Part Analysis Of 18.01)	No.	3707	4620	
5	% Al2 O3 (Alluminium Oxide) (Part Analysis Of 18.01)	No.	3707	4629.9	
6	% So3 (Sulphate)(Part Analysis Of 18.01)	No.	3707	4620	
7	% Cao (CALCIUM OXIDE ) (PART ANALYSIS OF 18.01)	No.	4323	5390	
8	% Mgo (MAGNESIUM OXIDE)(PART ANALYSIS OF 18.01)	No.	5555	6930	
9	Sulphate(Part Analysis Of Water)		1562	1947	
10	Total Soluble Salt (Part Analysis Of Water)	No.	1092.3	1364	
11	Ph Value(Part Analysis Of Water)	No.	548.9	682	
12	Carbonate & Bicarbonate(Part Analysis Of Water)	No.	770	979	
13	Chloride(Part Analysis Of Water)	No.	770	979	
14	Sodium & Potassium(Part Analysis Of Water)	No.	770	979	
15	Silt Content(Part Analysis Of Water)	No.	550	682	
16	Calcium(Part Analysis Of Water)	No.	770	979	
17	Magnesium (Part Analysis Of Water)	No.	770	979	
18	Complete Chemical Analysis Of Soil Extract	No.	3454	4323	
19	Preparation Charges For Soil Extract	No.	330	418	
20	Organic Impurity Test Of Sand (Is 2386 Part I 1962)	No.	704	881,1	
21	Organic Matter Of Soil	No.	1903	2376	
	WATER QUALITY ANALYSIS				
1	Fluoride	No.	1243	1562	
2	Sulphate	No.	770	968	

2	Di i	1 1		
3	Phosphate	No.	748	935
4	Nitrate	No.	770	979
5	Dissolved Oxygen	No.	660	836
6	Bichemical Oxygen Demand	No.	1793	2244
7	Chemical Oxygen Demand	No.	1331	1672
8	Oil & Grease	No.	737	913
9	Phenolic Compound	No.	891	1111
10	Coliform	No.	1848	2310
11	Pesticides	No.	5669.4	7084
12	Chromium	No.	1100	1375
13	Manganese	No.	1100	1375
14	Iron	No.	1100	1375
15	Copper	No.	1100	1375
16	Zinc	No.	1100	1375
17	Cadmium	No.	1100	1375
18	Lead	No.	1100	1375
19	Mercury	No.	1100	1375
20	Arsenic	No.	1100	1375
21	Odour	No.	154	198
22	Total Suspended Solid	No.	616	770_
23	Colour	No.	418	528
24	Ph Value	No.	550	682
25	Turbidity	No.	550	682
26	Inorganic Solids	No.	737	924_
27	Organic Solids	No.	737	924_
28	Total Dissolved Solids	No.	737	924
				770



## D] CONSTRUCTION MATERIALS LABORATORY:

Gode/	6 4-	UNIT	Amount in	(Rs.) (INR)
Sr.No.	NAME OFTEST	UNIT	For Govt. Agency	For Govt Agency
1.	BRICKS			
_1.1	Compressive Strength (5 No. Of Bricks)	Set	1320	1650
1.2	Water Absorption (5 No. Of Bricks)	Set	1408	1760
1.3	Efflorence Test (5 No. Of Bricks)	Set	1276	1595
1.4	Dimension & Tolerance (20 No. Of Bricks)	Set	550	682
1:5	Compressive Strength (Acid Resistance Bricks) -(5 No. Of Bricks)	Set	2068	2585
1.6	Water Absorption (Acid Resistance Bricks) - (5 No. Of Bricks)	Set	1276	1595
1.7	Flexural Strength (Acid Resistance Bricks) - (5 No. Of Bricks)	Set	1320	1650
	IN a s	1		
2	BUILDING STONE		12	
-2.1	Preparation Of One Test Sample From Rubble By Cutting (For 6 Nos).	Set	2640	3300
2.2	Compressive Strength Of Prepared Test Specimen	No.	308	385
72.3	Weathering Test	Sample	9680	12100
2,4	Durability Test	No.	8800	11000
2.5	Specific Gravity (Apparent) And Water Absorption	No.	1408	1760
-2.6	Specific Gravity (True)	No.	1408	1760
	4			
3	CEMENT			
3.1	Consistency Test	No.	. 814	1023
3.2	Initial & Final Setting Time	No.	1276	1595
3.3	Soundness Test (By Lechattlier)	No.	451	561
3.4	Compressive Strength		0	0
a.	For Ready Moulds	No.	2024	2530
b.	For moulds casted in our lab	No.	2904	3630
3.5	Fineness By Sieving	No.	352	440
3.6	Fineness By Blains	CHNOLOGY.	1672	2090

3.7	Comp. Strength Of Cement Mortar Cube (Any Size) (For 3 Nos.)	Set	462	583	
3.8	Transverse Strength Of any Mortar	No.	462	583	
3.9	Tensile Strength Of any Mortar	Tensile Strength Of any Mortar No. 462			
3.10	Bond Strength Of any Mortar	No.	528	660	
3.11	Determination Of Best Proportion Of Cement Mortar	No.	12320	15400	
3.12	Permeability Of Cement Mortar Of Size 10 X 5 Cms	No.	4444	5555	
4	CONCRETE				
4.1	Concrete Mix Design With Cubes Only	No.	42240	52800	
4.2	Concrete Mix Design With Flexural Strength Test	No.	72600	90750	
4.3	Casting And Preparing Cubes (6 No.) Of 15 Cms. Size Of Given Concrete Mix	Set	5280	6600_	
4.4	Mix Design Of Pre-Stressed Concrete	No.	56320	70400	
4.5	Mass Concrete Mix Design	No.	62040	77550	
4.6	Permeability Of Cement Concrete Cylinder Of 15 X 15 Cms Size (3 Samples)	Set	10340	12925	
4.7	Casting & Testing Of 15 Cms X 15 Cms X 70 Cms Size Beam Of Given Concrete Mix	No.	8129	1016 <u>4</u>	
4.8	Concrete Rebound Hammer Test	Reading	187	231	
4.9	Testing Of Concrete By Ultra Sonic Concrete Tester	Reading	154	187	
4.10	Additional Cement Testing For Mix Design	No.	3960	4950	
4.11	Comp. Strength Of C C Cube Or Cylinder (For 3 Nos. Of Cube = 1 Set)	Set	462	583	
4.12	Flexural Strength Of Concrete Beam	No.	726	902	
5	Foundation Core				
5.1	Drilling Of Concrete Rubble and Testing Same For Comp. Strength	No.	3564	4455	
5.2	Cutting & Polishing Of Core	No.	539	671	
5.3	Compressive Strength Of Foundation Core	No.	506	638	
5.4	Specific Gravity And Water Absorption	No.	748	935	
5.5	Density (Dry &Wet)	No.	836	1045	

IIT RAM

(6)	Lime			
6.1	Consistency	No.	1804	2255
6.2	Fineness Test	No.	69.3	869
6.3	Initial & Final Setting Time	No.	836	1045
6:4	Soundness	No.	715	891
6.5	Compressive Strength	No.	1100	1375
6.6	Determination Of Best Proportion Of Lime/Surkhi/Sand/Mortar	No.	22044	27555
6.7	Determination Of Best Proportion Of Lime/Surkhi/Sand/Mortar With Surkhi.	No.	29480	36850
6.8	Calcination Of Lime Stone	No.	3190	3993
6.9	Slacking Of Quick Lime To Produce Lime	No.	2024	2530
7	Pozzolana Material		<b>.</b>	
7:1	Fineness By Sieving	No.	374	473
7-2	Fineness By Blain's Air Permeability	No.	1529	1914
-7.3	Lime Reactivity	No.	2046	2552
7.4	Compressive Strength	No.	2222	2772
7.5	Determination of best proportion of cement/surkhi/sand/mortar	No.	24640	30800
_7.6	Determination of permeability of cement/surkhi/sand /mortar	No.	7612	9515
7.7	Specific gravity of pozzolana	No.	1067	1331
94		. s	3	
8	Steel	řé		
8.1	Tensile strength including yield stress/ elongation	No	1177	1463
8.2	Bend Test for MS and TMT steel	No	869	1089
8.3	Bend-rebend	No	1650	1980
14				
9	Tiles			
9.1	Water Absorption (1 set = 6 Nos)	Set	1507	1888.7
9.2	Transverse Strength (1 set = 6 Nos)	Set	1375	1716
9.3	Dimension and Tolerance (1 set = 6 Nos)	Set	583	726
9.4	Flexural Strength of canal lining/block tiles (1 set = 6 Nos)	Set	1320	1650
		TECHBOLOGI,	le l'	I.

10	Hollow Blocks					
10.1	Water Absorption (1 set = 3 Nos.)	Set	3685	4609		
10.2	Compressive Strength (1 set = 3 Nos.)	Set	682	858		
10.3	Breaking Strength (1 set = 3 Nos.) Set 693 8					
		***************************************				
11	Paver Block and Kerb Stone					
11	Compressive Strength (1 set = 3 Nos.)	Set	528	660		
11.2	Water Absorption (1 set = 3 Nos.)	Set	1364	1705		
11.3	Kerb Core (including preparation of surface)	Set	968	1210		

Note: Additional GST shall be applicable for testing of any items listed under A, B, C and D above, as per the norms.



El <u>OTHER CONSULTANCY SERVICES</u>: Along with the above services, the department also provides various design and third party inspection (TPI) consultancy services as below but not limited to:

Sr. No.	Division	Technical Consultancy Services/ TPI
	Transportation Engineering	<ol> <li>Traffic volume study and intersection design</li> <li>Speed surveys</li> <li>Pavement structural and mix design</li> <li>Geometric design of highways</li> <li>Pavement maintenance management</li> <li>Road safety audit</li> <li>Accident studies and Analysis</li> <li>Proof checking of DPRs</li> <li>Special studies related to field of Transportation Engineering</li> <li>Performance evaluation of public transportation systems</li> <li>Parking surveys and studies and analysis</li> </ol>
2	Water Resources and Environmental Engineering	<ol> <li>Hydraulic design of water distribution network</li> <li>Analysis of existing water distribution network</li> <li>Hydraulic design of storm drainage/sewerage network</li> <li>Analysis of existing storm drainage/sewerage network</li> <li>Design of Water Treatment Plant (WTP) and Sewerage Treatment Plant</li> <li>Hydraulic analysis of flow through pipes/ canal (using ANSYS FLUENT)</li> <li>Hydraulic design of canal and other hydraulic structures</li> </ol>
	- 10	<ul><li>8. Dam break flow analysis</li><li>9. Proof checking of DPRs</li></ul>
3	Geotechnical Engineering	<ol> <li>Design and recommendation of Shallow Foundation</li> <li>Design of Pile and Piled-Raft Foundation</li> <li>Recommendations for Ground improvement</li> <li>Design of Reinforced Earth Structures</li> <li>Slope Stability Analysis</li> <li>Design of Diaphragm/ Cutoff walls</li> <li>Design of Soil nailing, anchors, sheet-pile walls, bulk heads, excavation stability</li> <li>Liquefaction susceptibility evaluation</li> <li>Numerical analysis of geotechnical engineering problems</li> <li>Design of landfills, canal slope, embankment</li> <li>Recommendations for Waste stabilization and reutilization</li> </ol>
4	Structural Engineering	<ol> <li>Proof checking and consultancy services for structural design of buildings, bridges, and other civil engineering infrastructures</li> <li>Structural audit and health assessment of existing RC/ Masonry/Steel Structures</li> <li>Proof checking, Inspection and testing of water retaining and water transport structures like pipes, water tanks etc</li> <li>Proof checking and consulting services for underground structures</li> <li>Non-destructive testing and evaluation using GPR, Rebound Hammer, and UPV.</li> </ol>

Note: The rates for the above consultancy expert services half be decided based on the nature of the work with mutual consent of the organization and INTRAM.

J. Jaid

Page 12 of 12

Date: 02<sup>nd</sup> June, 2020

#### Submission:

Subject: Revision of Schedule of Rates (SoR) - for various consultancy services provided by the Department of Civil Engineering.

The Department of Civil Engineering at IITRAM is well equipped with state-of-the-art facilities. In order to optimally use these facilities along with regular academics, the department had started various material testing consultancy services for various government and private organizations in the field of construction industries, since November 2017-18. As on date there are more than 30 such agencies whom we are providing this consultancy services. This aids to generate the revenue which can be used for development of laboratories and research purpose. The schedule of rates for various material testing, has not been revised after 2017-18.

With this, the proposal of revised schedule of rates (SoR) - 2020-21 which shall be applicable with immediate effect (i.e. new financial year 2020-21) is attached for your perusal and kind approval please. The SoR is revised and updated by considering the SoR: 2018-19 of Gujarat Engineering Research Institute (GERI) and SoR of SVNIT. Surat as reference.

For your kind consideration and approval please.

Dr. Jiten Shah Assistant Professor,

Department of Civil Engineering

IITRAM.

Dr. Yogesh Shah

Coordinator,

Department of Civil Engine Timent

IITRAM.

Director

**Director General** 

Encl: 1. Revised SoR - Department of Civil Engineering, IITRAM - 2020-21



# Institute of Infrastructure, Technology, Research and Management (IITRAM)

## Department of Civil Engineering

# Schedule of Rates for Material Testing Consultancy Services Offered by Department of Civil Engineering, IITRAM For the Year 2020-21 (W.E.F. 1st April 2020)

#### A] TRANSPORTATION ENGINEERIGN LABORATORY -

Code/			Amount in (Rs.) (INR)	
Sr. No.	NAME OF TEST Unit per		For Govt. Agency	For Private Agency
	ROAD MATERIAL TESTING		7-51	
		T- 11.10		100
1	COARSE AGGREGATE (For Road and	Building Cons	struction)	
1.1	Grading or Mechanical Analysis	No.	800	1000
1.2	Impact Test	No.	600	750
1.3	Soundness Test (3 Cycle)	No.	2160	2700
1.4	Soundness Test ( 5 Cycle )	No.	2480	3100
1.5	Loss Angels Abrasion Test	No.	o. 1400	
1.6	Crushing Value Test	No.	1360	1700
1.7	Specific Gravity	No.	800	1000
1.8	Water Absorption Test	No.	480	600
1.9	Flakiness Index	No.	640	800
1.10	Elongation Index	No.	640	800
1.11	Combined Flakiness and Elongation Index Test	No.	1040	1300
1.12	Bulk Density	No.	400	500
1.13	Alkali Reactivity	No.	6160	7700
1.14	Stripping Value Test	No.	1200	1500
1.15	Deleterious Constituents	No.	2800	3500



SCLITTRAM

2	FINE AGGREGATE (For Road and Build	ing Constructio	n)	
2.1	Soundness Test ( 3 Cycle )	No.	2160 ;	2700
2.2	Soundness Test ( 5 Cycle )	No.	2480	3100
2.3	Specific Gravity	No.	800	1000
2.4	Water Absorption Test	No.	480	600
2.5	Bulk Density	No.	400	500
2.6	Alkali Reactivity	No.	6160	7700
2.7	Silt Content	No.	400	500
2.8	Fineness Modulus	No.	600	750
2.9	Sand Equivalent Test (For 6mm & Stone Dust)	No.	1680	2100
2.10	Percentage of Fractured Test	No.	1200	1500
2.11	Plasticity Index (Stone Dust)	No.	1440	1800
3	Bitumen			
3.1	Softening Test	No.	1920	2400
3.2	Penetration Test	No.	1640	2050
3.3	Ductility Test	No.	1480	1850
3.4	'Viscosity Test (Tar Viscometer)	No.	1600	2000
3.5	Viscosity Test (Absolute/Kinematic)	No.	2240	2800
3.6	Bitumen Content By Centrifuge Method	No.	2960	3700
3.7	Specific Gravity Test	No.	600	750
3.8	Short term Aging of Bitumen using RTFO	Set of 5 samples	12000	15000
3.9	Long term Aging of Bitumen using PAV	Set of 8	18400	23000







4	MIX DESIGN			
4.1	Bituminous Mix Design			
4.2	(a) Marshal Mix Design - for Bituminous mix - Standard	No.	52000	65000
	(b) Marshal Mix Design - for Bituminous mix - Modified	No.	56000	70000
4.3	Mix Design for Wet Mix Macadam (WMM)	No.	19200	24000
4.4	Mix Design for Granular Sub-base (GSB)	No.	19200	24000
4.5	Marshall Stability And Flow Test (For 3 Sample)			
	(a) Ready Mould	No.	1200	1500
1	(b) With Casting	No.	2160	2700
4.6	Retained Tensile Strength (Water Sensitivity) (For 3 Sample) (with casting)	No.	4800	6000
5	PAVEMENT DESIGN AND EVALUATION	V		
5., 1	Flexible Pavement Thickness Design (Data Supplied by Client)	Design	48000	60000
5.2	Benkleman Beam Test (Truck and Labour to be arranged by Client)	No.		1000/km/lane
5.3	Traffic Volume Study		As per Site cond	lition
5.4	Speed Survey (Using Radar Gun- On Sample Basis; 30 representative samples/hr.)	No.	2400/ direction/lane location/ shift (8 hrs.)	3000/ direction/lane location/ shift (8 hrs.)





## B] SOIL MECHANICS LABORATORY:

2			Amount in (Rs.) (INR		
Sr. No.	NAME OF TEST	UNIT	For Govt. Agency	For Private Agency	
S TO SY	SOIL MATERIAL TESTING				
1	Hydrometer Analysis	No.	1520	1900	
2	Sieve Analysis	No.	880	1100	
3	Atterberg's Limit	No.	1440	1800	
4	Specific Gravity	No.	1040	1300	
5	Shrinkage Limit	No.	1120	1400	
6	Field Dry Density & Moisture Content by Core Cutter Method	No.	1200	1500	
7	Field Dry Density & Moisture Content by Sand Replacement Method	No.	1040	1300	
8	Light Compaction (Proctor Test)	No.	1720	2150	
9	Heavy Compaction (Modified Proctor Test)	No.	2400	3000	
10	Relative Density	No.	2040	2550	
11	Swelling Pressure	No.	2320	2900	
12	Free Swell Index	No.	880	1100	
13	Unconfined Compression Test (3 Specimen of 38 mm × 76 mm)	No.	720	900	
14	Laboratory Vane Shear Test (3 Specimen)	No.	1200	1500	
15	Box Shear Test (60 mm × 60 mm Specimen)	No.	1520	1900	
16	Consolidation Test (60 mm Diameter)	No.	5760	7200	
17	Unconsolidated Undrained Triaxial Test (3 Specimen of 38 mm × 76 mm)	No.	5280	6600	
18	Unconsolidated Undrained Triaxial Test (3 Specimen of 50 mm × 100 mm)	No.	6400	8000	
19	Unconsolidated Undrained Triaxial Test (3 Specimen of 100 mm × 200 mm)	No.	8000	10000	
-	Specimen of 100 mm × 200 mm)	R. C.	of)	Page	

20	Consolidated Undrained Triaxial (3 Specimen of 38 mm × 76 mm)	No.	8400	10500
21	Consolidated Undrained Triaxial (3 Specimen of 50 mm × 100 mm)	No.	10000	12500
22	Consolidated Undrained Triaxial (3 Specimen of 100 mm × 200 mm)	No.	11600	14500
23	Natural Moisture Content	No.	520	650
24	CBR test (Unsoaked) 3 specimen	No.	2020	2600
25	CBR test – Heavy Compaction (Unsoaked) 3 Specimen	No.	2800	3500
26	CBR test (Soaked) 3 specimen	No.	2880	3600
27	CBR test – Heavy Compaction (Soaked) 3 Specimen	No.	3600	4500
28	Silt Content	No.	400	500







## C] ENVIRONMENTAL ENGINEERING LABORATORY:

Code/			Amount in (Rs.) (INR)		
Sr.No.	NAME OF TEST	UNIT	For Govt. Agency	For Private Agency	
I	Complete Chemical Analysis Of Engr. Material Like Cement/Lime/Lime Stone Pozzolona	No.	5610	7010	
2	Percent. Loss On Igni.(Part Analy. Of 18.01)	No.	560	700	
3	% Silica(Part Analysis Of 18.01)	No.	2240	2800	
4	% Fe2 O3(Ferric Oxide)(Part Analysis Of 18.01)	No.	3370	4200	
5	% Al2 O3 (Alluminium Oxide) (Part Analysis Of 18.01)	No.	3370	42:00	
6	% So3 (Sulphate)(Part Analysis Of 18.01)	No.	3370	4200	
7	% Cao (CALCIUM OXIDE) (PART ANALYSIS OF 18.01)	No.	3930	4910	
8	% Mgo (MAGNESIUM OXIDE)(PART ANALYSIS OF 18.01)	No.	5050	6310	
9	Sulphate(Part Analysis Of Water)	No.	1420	1770	
10	Total Soluble Salt (Part Analysis Of Water)	No.	990	1-240	
11	Ph Value(Part Analysis Of Water)	No.	500	620	
12	Carbonate & Bicarbonate(Part Analysis Of Water)	No.	700	890	
13	Chloride(Part Analysis Of Water)	No.	700	890	
14	Sodium & Potassium(Part Analysis Of Water)	No.	700	890	
15	Silt Content(Part Analysis Of Water)	No.	500	620	
16	Calcium(Part Analysis Of Water)	No.	700 =	890	
17	Magnesium (Part Analysis Of Water)	No.	700	89()	
18	Complete Chemical Analysis Of Soil Extract	No.	3140	393()	
19	Preparation Charges For Soil Extract	No.	300	380	
20	Organic Impurity Test Of Sand (Is 2386 Part I 1962)	No.	640	800	
21	Organic Matter Of Soil	No.	1730	2160	
	WATER QUALITY ANALYSIS				
1	Fluoride SCNOLOGY RECO	No.	1130	1410	
2	Fluoride Sulphate	No.	700	880	

5

RAM Scols

3	Phosphate	No.	680	850
4	Nitrate	No.	700	890
5	Dissolved Oxygen	No.	600	760
6	Bichemical Oxygen Demand	No.	1630	2040
7	Chemical Oxygen Demand	No.	1210	1520
8	Oil & Grease	No.	670	830
9	Phenolic Compound	No.	810	1010
10	Coliform	No.	1680	2100
11	Pesticides	No.	5150	6440
12	Chromium	No.	1000	1250
13	Manganese	No.	1000	1250
14	Iron	No	1000	1250
15	Copper	No.	1000	1250
16	Zinc	No.	1000	1250
17	Cadmium	No.	1000	1250
18	Lead	No.	1000	1250
19	Mercury	No.	1000	1250
20	Arsenic	No.	1000	1250
21	Odour	No.	140	180
22	Total Suspended Solid	No.	560	700
23	Colour	No,	380	480
24	Ph Value	No.	500	620
25 ,	Turbidity	No.	500	620
26	Inorganic Solids	No.	670	840
27	Organic Solids	No.	670	840
28	Total Dissolved Solids	No.	670	840





## D] CONSTRUCTION MATERIALS LABORATORY:

Code/			Amount in (Rs.) (INR		
Sr.No.	NAME OFTEST	UNIT	For Govt. Agency	For Govt Agency	
1	BRICKS		1		
1.1	1.1 Compressive Strength (5 No. Of Bricks) Set 120		1200	1500	
1.2	1.2 Water Absorption (5 No. Of Bricks) Set 128		1280	1600	
1.3	Efflorence Test (5 No. Of Bricks)	Set	1160	1450	
1.4	Dimension & Tolerance (20 No. Of Bricks)	Set	496	620	
1.5	Compressive Strength (Acid Resistance Bricks) -(5 No. Of Bricks)	Set	1880	2350	
1.6	Water Absorption (Acid Resistance Bricks) - (5 No. Of Bricks)	Set	1160	1450	
1.7	Flexural Strength (Acid Resistance Bricks) - (5 No. Of Bricks)	Set	1200	1500	
2	BUILDING STONE				
The state of the s			,		
2.1	Preparation Of One Test Sample From Rubble By Cutting (For 6 Nos).	Set	2400	3000	
2.2	Compressive Strength Of Prepared Test Specimen	No.	280	350	
2.3	Weathering Test	Sample	8800	11000	
2.4	Durability Test	No.	8000	10000	
2.5	Specific Gravity (Apparent) And Water Absorption	No.	1280	1600	
2.6	Specific Gravity (True)	No.	1280	1600	
3	CEMENT				
3.1	Consistency Test	No.	740	930	
3.2	Initial & Final Setting Time	No.	1160	1450	
3.3	Soundness Test (By Lechattlier)	No	400	510	
3.4	Compressive Strength	111	0		
a.	For Ready Moulds	No.	1840	2300	
b.	For moulds casted in our lab	No.	2640	3300	
3.5	Fineness By Sieving	No.	320	400	
3.6	Fineness By Blains	No.	1520	1900	

- Fam

Shop

Page 8 of 12

3.7	Comp. Strength Of Cement Mortar Cube (Any Size) (For 3 Nos.)	Set	420	530
3.8	Transverse Strength Of any Mortar	No.	420	530
3.9	Tensile Strength Of any Mortar	No.	420	530
3:10	Bond Strength Of any Mortar	No.	480	600
3.11	Determination Of Best Proportion Of Cement Mortar	No.	11200	14000
3.12	Permeability Of Cement Mortar Of Size 10 X 5 Cms	No.	4040	5050
		THE WAY	- 1 OF BUILD	
4	CONCRETE			
4.1	Concrete Mix Design With Cubes Only	No.	38400	48000
4.2	Concrete Mix Design With Flexural Strength Test	No.	66000	82500
4.3	Casting And Preparing Cubes (6 No.) Of 15 Cms. Size Of Given Concrete Mix	Set	4800	6000
4.4	Mix Design Of Pre-Stressed Concrete	No.	51200	64000
4.5	Mass Concrete Mix Design	No.	56400	70500
4.6	Permeability Of Cement Concrete Cylinder Of 15 X 15 Cms Size (3 Samples)	Set	9400	11750
4.7	Casting & Testing Of 15 Cms X 15 Cms X 70 Cms Size Beam Of Given Concrete Mix	No.	7390	9240
4.8	Concrete Rebound Hammer Test	Reading	170	210
4.9	Testing Of Concrete By Ultra Sonic Concrete Tester	Reading	140	170
4.10	Additional Cement Testing For Mix Design	No.	3600	4500
4.11	Comp. Strength Of C C Cube Or Cylinder (For 3 Nos. Of Cube = 1 Set)	Set	420	530
4.12	Flexural Strength Of Concrete Beam	No,	660	820
5	Foundation Core			i i i
5.1	Drilling Of Concrete Rubble and Testing Same For Comp. Strength	No.	3240	4050
5.2	Cutting & Polishing Of Core	No.	490	610
5.3	Compressive Strength Of Foundation Core	No.	460	570
5.4	Specific Gravity And Water Absorption	No.	680	850
5.5	Density (Dry & Wet)	No.	760	950



	61.			
6	Lime			
6.1	Consistency	No.	1640	2050
6.2	Fineness Test	No.	630	790
6.3	Initial & Final Setting Time	No.	760	950
6.4	Soundness	No.	650	810
6.5	Compressive Strength	No.	1000	1250
6.6	Determination Of Best Proportion Of Lime/Surkhi/Sand/Mortar	No.	20040	25050
6.7	Determination Of Best Proportion Of Lime/Surkhi/Sand/Mortar With Surkhi.	No.	26800	33500
6.8	Calcination Of Lime Stone	No.	2900	3630
6.9	Slacking Of Quick Lime To Produce Lime	No.	1840	2300
7	Pozzolana Material			
7.1	Fineness By Sieving	No.	340	430
7.2	Fineness By Blain's Air Permeability	No.	1390	1740
7.3	Lime Reactivity	No.	1860	2320
7.4	Compressive Strength	No.	2020	2520
7.5	Determination of best proportion of cement/surkhi/sand/mortar	No.	22400	28000
7.6	Determination of permeability of cement/surkhi/sand/mortar	No.	6920	8650
7.7	Specific gravity of pozzolana	No.	970	1210
8	Steel			
8.1	Tensile strength including yield stress/ elongation	No	1060	1330
8.2	Bend Test for MS and TMT steel	No	790	990
8.3	Bend-rebend	No	1500	1800
			5 %	
9	Tiles			
9.1	Water Absorption (1 set = 6 Nos)	Set	1370	1720
9.2	Transverse Strength (1 set = 6 Nos)	Set	1240	1560





9.4	Flexural Strength of canal lining/block tiles (1 set = 6 Nos)	Set	1200	1500
10	Hollow Blocks			
10.1	Water Absorption (1 set = 3 Nos.)	Set	3350	4190
10.2	Compressive Strength (1 set = 3 Nos.)	Set	620	780
10.3	Breaking Strength (1 set = 3 Nos.)	Set	630	790
11	Paver Block and Kerb Stone		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
11,	Compressive Strength (1 set = 3 Nos.)	Set	480	600
11.2	Water Absorption (1 set = 3 Nos.)	Set	1240	1550
11.3	Kerb Core (including preparation of surface)	Set	880	1100

Note: Additional GST shall be applicable for testing of any items listed under A, B, C and D above, as per the norms.

W. AHMEDABA

E] <u>OTHER CONSULTANCY SERVICES</u>: Along with the above services, the department also provides various design and third party inspection (TPI) consultancy services as below but not limited to:

Sr. No.	Division	Technical Consultancy Services/ TPI
1	Transportation Engineering	<ol> <li>Traffic volume study and intersection design</li> <li>Speed surveys</li> <li>Pavement structural and mix design</li> <li>Geometric design of highways</li> <li>Pavement maintenance management</li> <li>Road safety audit</li> <li>Accident studies and Analysis</li> <li>Proof checking of DPRs</li> <li>Special studies related to field of Transportation Engineering</li> <li>Performance evaluation of public transportation systems</li> <li>Parking surveys and studies and analysis</li> </ol>
2	Water Resources and Environmental Engineering	<ol> <li>Hydraulic design of water distribution network</li> <li>Analysis of existing water distribution network</li> <li>Hydraulic design of storm drainage/sewerage network</li> <li>Analysis of existing storm drainage/sewerage network</li> <li>Design of Water Treatment Plant (WTP) and Sewerage Treatment Plant</li> <li>Hydraulic analysis of flow through pipes/ canal (using ANSYS FLUENT)</li> <li>Hydraulic design of canal and other hydraulic structures</li> <li>Dam break flow analysis</li> <li>Proof checking of DPRs</li> </ol>
3	Geotechnical Engineering	<ol> <li>Design and recommendation of Shallow Foundation</li> <li>Design of Pile and Piled-Raft Foundation</li> <li>Recommendations for Ground improvement</li> <li>Design of Reinforced Earth Structures</li> <li>Slope Stability Analysis</li> <li>Design of Diaphragm/ Cutoff walls</li> <li>Design of Soil nailing, anchors, sheet-pile walls, bulk heads, excavation stability</li> <li>Liquefaction susceptibility evaluation</li> <li>Numerical analysis of geotechnical engineering problems</li> <li>Design of landfills, canal slope, embankment</li> <li>Recommendations for Waste stabilization and reutilization</li> </ol>
4	Structural Engineering	<ol> <li>Proof checking and consultancy services for structural design of buildings, bridges, and other civil engineering infrastructures</li> <li>Structural audit and health assessment of existing RC/ Masonry/Stee Structures</li> <li>Proof checking, Inspection and testing of water retaining and water transport structures like pipes, water tanks etc</li> <li>Proof checking and consulting services for underground structures</li> <li>Non-destructive testing and evaluation using GPR, Rebound Hammer, and UPV.</li> </ol>

The rates for the above consultancy expert services shall be decided based on the nature of the work with mutual consent of the organization and HTRAM.

AHMEDABAD

