

APPENDIX				
Sr No	Name Of Items / Materials	Make Preferable	Specification	Qty
	Maintenance/Repair purpose Switches & Accessories as and when demand by make only			
	Switches & Accessories			
1	6A One Way Switch	MK-Blenze/North West/Salzer	Piano Type Modular type 230V-250V AC	1 No.
2	6A Two Way Switch	MK-Blenze/North West/Salzer	Piano Type Modular type 230V-250V AC	1 No.
3	16A One Way Switch	MK-Blenze/North West/Salzer	Piano Type Modular type 230V-250V AC	1 No.
4	16A Two Way Switch	MK-Blenze/North West/Salzer	Piano Type Modular type 230V-250V AC	1 No.
5	6A Socket	MK-Blenze/North West/Salzer	Modular type 230V-250V AC	1 No.
6	16A Socket	MK-Blenze/North West/Salzer	Modular type 230V-250V AC	1 No.
7	20A Socket	MK-Blenze/North West/Salzer	Modular type 230V-250V AC	1 No.
8	Regulator Step Type	MK-Blenze/North West/Salzer	Modular type 230V-250V AC	1 No.
9	Regulator Socket Type	MK-Blenze/North West/Salzer	Modular type 230V-250V AC	1 No.
10	Roll Plug	Standard make		1 No.
11	Angle Holder	Anchor/Hi-Fi/Vinay/Pannama/Wend or	Modular type 230V-250V AC	1 No.
12	Button Holder	Anchor/Hi-Fi/Vinay/Pannama/Wend or	Modular type 230V-250V AC	1 No.
13	Ding Dong Bell	Anchor/Vinay/Vision/Max	Box Type operating on 250V	1 No.
14	Electronics type Cordless Bell with Battery Cell	Cona/HPL/Anchor/Vinay	With Cell/Battery	1 No.
	Maintenance/Repair purpose Switches & Accessories as and when demand by make only			
	Modular Plate:-			
15	1 M Plate	MK-Blenze/North West/Salzer	Modular type 230V-250V AC	1 Nos
16	2M Plate	MK-Blenze/North West/Salzer	Modular type 230V-250V AC	1 Nos
17	3M Plate	MK-Blenze/North West/Salzer	Modular type 230V-250V AC	1 Nos
18	4M Plate	MK-Blenze/North West/Salzer	Modular type 230V-250V AC	1 Nos
19	6M Plate	MK-Blenze/North West/Salzer	Modular type 230V-250V AC	1 Nos
20	8M Plate	MK-Blenze/North West/Salzer	Modular type 230V-250V AC	1 Nos
21	12M plate	MK-Blenze/North West/Salzer	Modular type 230V-250V AC	1 Nos
22	16M Plate	MK-Blenze/North West/Salzer	Modular type 230V-250V AC	1 Nos
23	18M Plate	MK-Blenze/North West/Salzer	Modular type 230V-250V AC	1 Nos
	Modulare BoxOpen Surface Mounted:-			
24	1 M Box	Hi-Fi/Anchor/Salzer/C&S	Modular type 230V-250V AC	1 Nos
25	2M Box	Hi-Fi/Anchor/Salzer/C&S	Modular type 230V-250V AC	1 Nos
26	3M Box	Hi-Fi/Anchor/Salzer/C&S	Modular type 230V-250V AC	1 Nos
27	4M Box	Hi-Fi/Anchor/Salzer/C&S	Modular type 230V-250V AC	1 Nos

28	6M Box	Hi-Fi/Anchor/Salzer/C&S	Modular type 230V-250V AC	1 Nos
29	8M Box	Hi-Fi/Anchor/Salzer/C&S	Modular type 230V-250V AC	1 Nos
30	12M Box	Hi-Fi/Anchor/Salzer/C&S	Modular type 230V-250V AC	1 Nos
31	16M Box	Hi-Fi/Anchor/Salzer/C&S	Modular type 230V-250V AC	1 Nos
32	18M Box	Hi-Fi/Anchor/Salzer/C&S	Modular type 230V-250V AC	1 Nos
	TV Co-Axial Flexible Cable			
33	RG-6	Finolex/RR Kable/D-link/Anchor	TV Co-axial flexible cable comprising inner conductor of solid bare copper insulated with Foam PE & Secondary conductor made of poly - Aluminium film bonded Al. Braids @ suitable coverage overall sheathed with black PVC insulation.	1 mtr
34	RG-11	Finolex/RR Kable/D-link/Anchor	TV Co-axial flexible cable comprising inner conductor of solid bare copper insulated with Foam PE & Secondary conductor made of poly - Aluminium film bonded Al. Braids @ suitable coverage overall sheathed with black PVC insulation.	1 mtr
	Lan Wire:-			
35	CAT-5	Finolex/RR Kable/D-link/Anchor		1 mtr
36	CAT-6	Finolex/RR Kable/D-link/Anchor		1 mtr
	Screw:-			
37	Screw 35 x 8	Standard make		1 Packet (100 Nos)
38	Screw 25 x 8	Standard make		1 Packet (200 Nos)
39	Screw 13 x 4	Standard make	Sheet Metal	1 Packet (500 Nos)
40	Screw 19 x 6	Standard make	Sheet Metal	1 Packet (500 Nos)
41	Screw 25 x 6	Standard make	Sheet Metal	1 Packet (500 Nos)
42	Screw 32 x 6	Standard make	Sheet Metal	1 Packet (500 Nos)
43	Screw 38 x 6	Standard make	Sheet Metal	1 Packet (500 Nos)

44	Jasti Khilla	Standard make		1 Packet (2.5 kg)
----	--------------	---------------	--	-----------------------------

	G.I Saddle:-			
45	G.I Saddle 20 mm	Standard make		1 Packet (50 Nos)
46	G.I Saddle 25 mm	Standard make		1 Packet (50 Nos)
47	G.I Saddle 35 mm	Standard make		1 Packet (50 Nos)
48	G.I Saddle 50 mm	Standard make		1 Packet (50 Nos)
	MCB:-(Maintenance Purpose)			
49	20A Single Pole MCB (SP MCB)	MK/Hager	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity-10kA	1 No.
50	25A Single Pole MCB (SP MCB)	MK/Hager	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity-10kA	1 No.
51	32A Single Pole MCB (SP MCB)	MK/Hager	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity-10kA	1 No.
52	6A Double Pole MCB(DP MCB)	MK/Hager	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity-10kA	1 No.
53	10A Double Pole MCB(DP MCB)	MK/Hager	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity-10kA	1 No.
54	16A Double Pole MCB(DP MCB)	MK/Hager	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity-10kA	1 No.
55	20A Double Pole MCB(DP MCB)	MK/Hager	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity-10kA	1 No.
56	25A Double Pole MCB(DP MCB)	MK/Hager	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity-10kA	1 No.
57	32A Double Pole MCB(DP MCB)	MK/Hager	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity-10kA	1 No.
58	40A Double Pole MCB(DP MCB)	MK/Hager	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity-10kA	1 No.
59	6A Tripple Pole MCB(TP MCB)	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
60	10A Tripple Pole MCB(TP MCB)	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
61	16A Tripple Pole MCB(TP MCB)	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
62	20A Tripple Pole MCB(TP MCB)	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
63	25A Tripple Pole MCB(TP MCB)	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
64	20A Four Pole MCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
65	25A Four Pole MCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
66	32A Four Pole MCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
67	63A Four Pole MCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
68	100A Four Pole MCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.

69	20A TPN MCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
70	25A TPN MCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
71	32A TPN MCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
72	63A TPN MCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
73	100A TPNMCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
	MCB Isolator (Maintenance Purpose)			
74	40 A Four Pole Isolator MCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
75	63 A Four Pole Isolator MCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
76	100 A Four Pole Isolator MCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
77	120 A Four Pole Isolator MCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity-10kA	1 No.
	DP & FP ELCB (Maintenance Purpose)			
78	25 A DP ELCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity- 10kA,In:30mA Rated Residual Operating Time: <0.1S	1 No.
79	32 A DP ELCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity- 10kA,In:30mA Rated Residual Operating Time: <0.1S	1 No.
80	40 A DP ELCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity- 10kA,In:30mA Rated Residual Operating Time: <0.1S	1 No.
81	63 A DP ELCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity- 10kA,In:30mA Rated Residual Operating Time: <0.1S	1 No.
82	25 A FP ELCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity- 10kA,In:30mA Rated Residual Operating Time: <0.1S	1 No.
83	32 A FP ELCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity- 10kA,In:30mA Rated Residual Operating Time: <0.1S	1 No.
84	40 A FP ELCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity- 10kA,In:30mA Rated Residual Operating Time: <0.1S	1 No.
85	63 A FP ELCB	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity- 10kA,In:30mA Rated Residual Operating Time: <0.1S	1 No.
86	100 A FP ELCB(100 mA Sensitivity)	MK/Hager	Class A/B/C Type 415V-440V AC,50Hz Breaking Capacity- 10kA,In:30mA Rated Residual Operating Time: <0.1S	1 No.
	MCBDB Board:-			

87	Single phase 4 way single door MCB distribution board	C & S/ Indo Asian/L&T/Havells/Hager	Sheet Steel powder coated MCB distribution board - flush / surface mounted fitted with busbar, neutral link, earth bar and DIN rail, confirming to IS 13032 and BS 5486-1986 without MCB to house appropriate nos. of MCBs.	1 No.
88	Single phase 4 way SS Double door MCB distribution board	C & S/ Indo Asian/L&T/Havells/Hager	Sheet Steel powder coated MCB distribution board - flush / surface mounted fitted with busbar, neutral link, earth bar and DIN rail, confirming to IS 13032 and BS 5486-1986 without MCB to house appropriate nos. of MCBs.	1 No.
89	Single phase 6way single door MCB distribution board	C & S/ Indo Asian/L&T/Havells/Hager	Sheet Steel powder coated MCB distribution board - flush / surface mounted fitted with busbar, neutral link, earth bar and DIN rail, confirming to IS 13032 and BS 5486-1986 without MCB to house appropriate nos. of MCBs.	1 No.
90	Single phase 6way SS Double door MCB distribution board	C & S/ Indo Asian/L&T/Havells/Hager	Sheet Steel powder coated MCB distribution board - flush / surface mounted fitted with busbar, neutral link, earth bar and DIN rail, confirming to IS 13032 and BS 5486-1986 without MCB to house appropriate nos. of MCBs.	1 No.
91	Single phase 8 way single door MCB distribution board	C & S/ Indo Asian/L&T/Havells/Hager	Sheet Steel powder coated MCB distribution board - flush / surface mounted fitted with busbar, neutral link, earth bar and DIN rail, confirming to IS 13032 and BS 5486-1986 without MCB to house appropriate nos. of MCBs.	1 No.
92	Single phase 8 way SS Double door MCB distribution board	C & S/ Indo Asian/L&T/Havells/Hager	Sheet Steel powder coated MCB distribution board - flush / surface mounted fitted with busbar, neutral link, earth bar and DIN rail, confirming to IS 13032 and BS 5486-1986 without MCB to house appropriate nos. of MCBs.	1 No.
93	Single phase 12 way single door MCB distribution board	C & S/ Indo Asian/L&T/Havells/Hager	Sheet Steel powder coated MCB distribution board - flush / surface mounted fitted with busbar, neutral link, earth bar and DIN rail, confirming to IS 13032 and BS 5486-1986 without MCB to house appropriate nos. of MCBs.	1 No.
94	Single phase 12 way SS Double door MCB distribution board	C & S/ Indo Asian/L&T/Havells/Hager	Sheet Steel powder coated MCB distribution board - flush / surface mounted fitted with busbar, neutral link, earth bar and DIN rail, confirming to IS 13032 and BS 5486-1986 without MCB to house appropriate nos. of MCBs.	1 No.
95	Three phase 4 way single door for single phase outgoing horizontal box MCB distribution board	C & S/ Indo Asian/L&T/Havells/Hager	Sheet Steel powder coated MCB distribution board - flush / surface mounted fitted with busbar, neutral link, earth bar and DIN rail, confirming to IS 13032 and BS 5486-1986 without MCB to house appropriate nos. of MCBs.	1 No.

96	Three phase 4 way SS Double door for single phase outgoing horizontal box MCB distribution board	C & S/ Indo Asian/L&T/Havells/Hager	Sheet Steel powder coated MCB distribution board - flush / surface mounted fitted with busbar, neutral link, earth bar and DIN rail, confirming to IS 13032 and BS 5486-1986 without MCB to house appropriate nos. of MCBs.	1 No.
97	Three phase 6 way single door for single phase outgoing horizontal box MCB distribution board	C & S/ Indo Asian/L&T/Havells/Hager	Sheet Steel powder coated MCB distribution board - flush / surface mounted fitted with busbar, neutral link, earth bar and DIN rail, confirming to IS 13032 and BS 5486-1986 without MCB to house appropriate nos. of MCBs.	1 No.
98	Three phase 6 way SS Double door for single phase outgoing horizontal box MCB distribution board	C & S/ Indo Asian/L&T/Havells/Hager	Sheet Steel powder coated MCB distribution board - flush / surface mounted fitted with busbar, neutral link, earth bar and DIN rail, confirming to IS 13032 and BS 5486-1986 without MCB to house appropriate nos. of MCBs.	1 No.
99	Three phase 8 way single door for single phase outgoing horizontal box MCB distribution board	C & S/ Indo Asian/L&T/Havells/Hager	Sheet Steel powder coated MCB distribution board - flush / surface mounted fitted with busbar, neutral link, earth bar and DIN rail, confirming to IS 13032 and BS 5486-1986 without MCB to house appropriate nos. of MCBs.	1 No.
100	Three phase 8 way SS Double door for horizontal single phase outgoing MCB distribution board	C & S/ Indo Asian/L&T/Havells/Hager	Sheet Steel powder coated MCB distribution board - flush / surface mounted fitted with busbar, neutral link, earth bar and DIN rail, confirming to IS 13032 and BS 5486-1986 without MCB to house appropriate nos. of MCBs.	1 No.
	Switchgear With Rewirable Fuse			
101	32 A Tripple Pole Metal/Cast Iron Clad Switch & Rewirable Fuse	PEW/Super/KEW	With Neutral Link 415/500V confirming to IS	1 No.
102	63 A Tripple Pole Metal/Cast Iron Clad Switch & Rewirable Fuse	PEW/Super/KEW	With Neutral Link 415/500V confirming to IS	1 No.
103	100A Tripple Pole Metal/Cast Iron Clad Switch & Rewirable Fuse	PEW/Super/KEW	With Neutral Link 415/500V confirming to IS	1 No.
	Four Pole MCCB:-			
104	Four pole moulded case circuit breaker having breaking capacity ICU of 25 KA. at 415 V, having normal current rating up to 25 A to 100A. with Fixed thermal & magnetic release suitable to work on A.C. supply 50 c/s. with all internal connections & complete erected in existing 16 G.M.S. housing.	C & S/ Indo Asian/L&T/Havells/Legrand	ICS=100 % ICU Only	1 No.
105	Four pole moulded case circuit breaker having breaking capacity ICU of 35 KA. at 415 V. having normal current rating up to 125A. with Fixed thermal & magnetic release suitable to work on A.C. supply 50 c/s. with all internal connections & complete erected in existing 16 G.M.S. housing.	C & S/ Indo Asian/L&T/Havells/Legrand	ICS=100 % ICU Only	1 No.

106	Four pole moulded case circuit breaker having breaking capacity ICU of 35 KA. at 415 V. having Normal current rating up to 200A. with variable Thermal & magnetic release suitable to work on A.C. supply 50 c/s. with all internal connections & complete erected in existing 16 G.M.S. housing	C & S/ Indo Asian/L&T/Havells/Legrand	ICS=100 % ICU Only	1 No.
107	Four pole moulded case circuit breaker having breaking capacity ICU of 35 KA. at 415 V . having normal current rating up to 250A. with variable thermal & magnetic release suitable to work on A.C. supply 50 c/s. with all internal connections & complete erected in existing 16 G.M.S. housing.	C & S/ Indo Asian/L&T/Havells/Legrand	ICS=100 % ICU Only	1 No.
108	Four pole moulded case circuit breaker having breaking capacity ICU of 50 KA at 415 V having Normal current rating up to 400A. with variable Thermal & magnetic release suitable to work on A.C. supply 50 c/s. With all internal connections & complete erected in existing 16 G.M.S. housing.	C & S/ Indo Asian/L&T/Havells/Legrand	ICS=100 % ICU Only	1 No.
109	Four pole moulded case circuit breaker having breaking capacity ICU of 50 K.A. at 415 V having normal current rating up to 630A. with variable thermal & magnetic release suitable to work on A.C. supply 50 c/s. with all internal connections & complete erected in existing 16 G.M.S. housing	C & S/ Indo Asian/L&T/Havells/Legrand	ICS=100 % ICU Only	1 No.
110	Four pole moulded case circuit breaker having breaking capacity ICU of 50 K.A. at 415 V having normal current rating up to 800A. with variable thermal & magnetic release suitable to work on A.C. supply 50 c/s. with all internal connections & complete erected in existing 16 G.M.S. housing.	C & S/ Indo Asian/L&T/Havells/Legrand	ICS=100 % ICU Only	1 No.
	XLPE Aluminium Cable			
111	3 1/2 core 25 Sq. mm (16 Sq. mm 1/2 core) XLPE Cable	Havells/RR Kabel/Polycab/Finolex/Darshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
112	3 1/2 core 35 Sq. mm (16 Sq. mm 1/2 core) XLPE Cable	Havells/RR Kabel/Polycab/Finolex/Darshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
113	3 1/2 core 50 Sq. mm (25 Sq. 1/2 mm core) XLPE Cable	Havells/RR Kabel/Polycab/Finolex/Darshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
114	3 1/2 core 70 Sq. mm (35 Sq. mm 1/2 core) XLPE Cable	Havells/RR Kabel/Polycab/Finolex/Darshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
115	3 1/2 core 95 Sq. mm (50 Sq. mm 1/2 core)	Havells/RR Kabel/Polycab/Finolex/Darshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
116	3 1/2 core 120 Sq. mm (70 Sq. mm 1/2 core) XLPE Cable	Havells/RR Kabel/Polycab/Finolex/Darshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr

117	3 1/2 core 150 Sq. mm (70 Sq. mm 1/2 core) XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
118	3 1/2 core 185 Sq. mm (95 Sq. mm 1/2 core) XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
119	3 1/2 core 240 Sq. mm(120 Sq. mm 1/2 core) XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
120	3 1/2 core 300 Sq.mm (150 Sq. mm 1/2 core) XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
121	3 1/2 core 400 Sq.mm (185 Sq. mm 1/2 core) XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
122	3 1/2 core 500 Sq.mm (240 Sq. mm 1/2 core) XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
123	3 1/2 core 630 sq. mm (300 sq.mm 1/2 core) XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
124	2 core 4 sq.mm XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
125	2 core 10 sq.mm XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
126	4 core 4 sq.mm XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
127	4 core 6 sq.mm XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
128	4 core 10 sq.mm XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
129	4 core 16 sq.mm XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
130	4 core 25 sq.mm XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
131	4 core 35 sq.mm XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV.	1 mtr
	XLPE Copper Cable			
132	3 1/2 core 25 Sq. mm (10 Sq. mm 1/2 core) XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Copper conductor for 1.1 KV.	1 mtr
133	3 1/2 core 35 Sq. mm (16 Sq. mm 1/2 core) XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Copper conductor for 1.1 KV.	1 mtr
134	4 core 2.5 Sq. mm XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Copper conductor for 1.1 KV.	1 mtr
135	4 core 4 Sq. mm XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Copper conductor for 1.1 KV.	1 mtr
136	4 core 6 Sq. mm XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Copper conductor for 1.1 KV.	1 mtr
137	4 core 10 Sq. mm XLPE Cable	Havells/RR Kabel/Polycab/Finolex/D arshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Copper conductor for 1.1 KV.	1 mtr

138	4 core 16 Sq. mm XLPE Cable	Havells/RR Kabel/Polycab/Finolex/Darshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Copper conductor for 1.1 KV.	1 mtr
139	4 core 25 Sq. mm XLPE Cable	Havells/RR Kabel/Polycab/Finolex/Darshan Plus/Allcab	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Copper conductor for 1.1 KV.	1 mtr
	Cable Gland:-			
140	2 to 4 core 2.5 Sq.mm Cable Gland	3D/Dovells/Janson/Hex/Active/Oswal	High Grade S.S/Copper	1 Nos
141	2 to 4 core 4 Sq.mm Cable Gland	3D/Dovells/Janson/Hex/Active/Oswal	High Grade S.S/Copper	1 Nos
142	2 to 4 core 10 Sq.mm Cable Gland	3D/Dovells/Janson/Hex/Active/Oswal	High Grade S.S/Copper	1 Nos
143	3 & 1/2 / 4 core 25 Sq. mm Cable Gland	3D/Dovells/Janson/Hex/Active/Oswal	High Grade S.S/Copper	1 Nos
144	3 & 1/2 core 35/50 Sq. mm Cable Gland	3D/Dovells/Janson/Hex/Active/Oswal	High Grade S.S/Copper	1 Nos
145	3 & 1/2 core 70 Sq. mm Cable Gland	3D/Dovells/Janson/Hex/Active/Oswal	High Grade S.S/Copper	1 Nos
146	3 & 1/2 core 95 Sq. mm Cable Gland	3D/Dovells/Janson/Hex/Active/Oswal	High Grade S.S/Copper	1 Nos
147	3 & 1/2 core 120 Sq. mm Cable Gland	3D/Dovells/Janson/Hex/Active/Oswal	High Grade S.S/Copper	1 Nos
148	3 & 1/2 core 150 Sq. mm Cable Gland	3D/Dovells/Janson/Hex/Active/Oswal	High Grade S.S/Copper	1 Nos
149	3 & 1/2 core 185 Sq. mm Cable Gland	3D/Dovells/Janson/Hex/Active/Oswal	High Grade S.S/Copper	1 Nos
150	3 & 1/2 core 240 Sq. mm Cable Gland	3D/Dovells/Janson/Hex/Active/Oswal	High Grade S.S/Copper	1 Nos
151	3 & 1/2 core 300 Sq. mm Cable Gland	3D/Dovells/Janson/Hex/Active/Oswal	High Grade S.S/Copper	1 Nos
152	3 & 1/2 core 400 Sq. mm Cable Gland	3D/Dovells/Janson/Hex/Active/Oswal	High Grade S.S/Copper	1 Nos
153	3 & 1/2 core 500 Sq. mm Cable Gland	3D/Dovells/Janson/Hex/Active/Oswal	High Grade S.S/Copper	1 Nos
	Cable Lugs Aluminum			
154	1.5/ 2.5/4/6 Sq.mm	3D/Dovells/Janson/Hex/Active/Oswal	Aluminum Lugs	1 Nos
155	10 Sq.mm	3D/Dovells/Janson/Hex/Active/Oswal	Aluminum Lugs	1 Nos
156	16 Sq.mm.	3D/Dovells/Janson/Hex/Active/Oswal	Aluminum Lugs	1 Nos
157	25 Sq.mm.	3D/Dovells/Janson/Hex/Active/Oswal	Aluminum Lugs	1 Nos
158	35/50 Sq.mm.	3D/Dovells/Janson/Hex/Active/Oswal	Aluminum Lugs	1 Nos
159	70 Sq.mm.	3D/Dovells/Janson/Hex/Active/Oswal	Aluminum Lugs	1 Nos
160	95 Sq.mm.	3D/Dovells/Janson/Hex/Active/Oswal	Aluminum Lugs	1 Nos
161	120 Sq.mm.	3D/Dovells/Janson/Hex/Active/Oswal	Aluminum Lugs	1 Nos
162	150 Sq.mm.	3D/Dovells/Janson/Hex/Active/Oswal	Aluminum Lugs	1 Nos
163	185 Sq.mm.	3D/Dovells/Janson/Hex/Active/Oswal	Aluminum Lugs	1 Nos
164	225 Sq.mm.	3D/Dovells/Janson/Hex/Active/Oswal	Aluminum Lugs	1 Nos
165	300 Sq.mm.	3D/Dovells/Janson/Hex/Active/Oswal	Aluminum Lugs	1 Nos
166	400 Sq.mm.	3D/Dovells/Janson/Hex/Active/Oswal	Aluminum Lugs	1 Nos
167	500 Sq.mm.	3D/Dovells/Janson/Hex/Active/Oswal	Aluminum Lugs	1 Nos

	Cable Lugs Copper			
168	1.5/ 2.5/4/6 Sq.mm	3D/Dovells/Janson/Hex/ Active/Oswal	Copper Lugs	1 Nos
169	10 Sq.mm	3D/Dovells/Janson/Hex/ Active/Oswal	Copper Lugs	1 Nos
170	16 Sq.mm.	3D/Dovells/Janson/Hex/ Active/Oswal	Copper Lugs	1 Nos
171	25 Sq.mm.	3D/Dovells/Janson/Hex/ Active/Oswal	Copper Lugs	1 Nos
172	35/50 Sq.mm.	3D/Dovells/Janson/Hex/ Active/Oswal	Copper Lugs	1 Nos
173	70 Sq.mm.	3D/Dovells/Janson/Hex/ Active/Oswal	Copper Lugs	1 Nos
174	95 Sq.mm.	3D/Dovells/Janson/Hex/ Active/Oswal	Copper Lugs	1 Nos
175	120 Sq.mm.	3D/Dovells/Janson/Hex/ Active/Oswal	Copper Lugs	1 Nos
176	150 Sq.mm.	3D/Dovells/Janson/Hex/ Active/Oswal	Copper Lugs	1 Nos
177	185 Sq.mm.	3D/Dovells/Janson/Hex/ Active/Oswal	Copper Lugs	1 Nos
178	225 Sq.mm.	3D/Dovells/Janson/Hex/ Active/Oswal	Copper Lugs	1 Nos
	Light Fittings & Accessories			
179	T-5 Tube Light 28W	Philips/Surya/Helonix/Cr ompton /Havells/GRE/Bajaj	Length:- 4 ft	1 Nos
180	T-5 Tube Light 14W	Philips/Surya/Helonix/Cr ompton /Havells/GRE/Bajaj	Length:- 2 ft	1 Nos
181	36 W Electronic Ballast	Philips/Surya/Helonix/Cr ompton /Havells/GRE/Bajaj		1 Nos
182	LED Street Light 36/40 W Fitting	Philips/Surya/Helonix/Cr ompton /Havells/Bajaj/C&S/GRE	Street Light (IP-65), Surge -4KV	1 Nos
183	LED Street Light 45/48/50 W Fitting	Philips/Surya/Helonix/Cr ompton /Havells/Bajaj/C&S/GRE	Street Light (IP-65), Surge -4KV	1 Nos
184	LED Street Light 60 W Fitting	Philips/Surya/Helonix/Cr ompton /Havells/Bajaj/C&S/GRE	Street Light (IP-65), Surge -4KV	1 Nos
185	LED Street Light 90 W Fitting	Philips/Surya/Helonix/Cr ompton /Havells/Bajaj/C&S/GRE	Street Light (IP-65), Surge -4KV	1 Nos
186	LED Street Light 120 W Fitting	Philips/Surya/Helonix/Cr ompton /Havells/Bajaj/C&S/GRE	Street Light (IP-65), Surge -4KV	1 Nos
187	LED Flood Light 45/48/50W Fitting	Philips/Surya/Helonix/Cr ompton /Havells/Bajaj/C&S/GRE	Street Light (IP-65), Surge -4KV	1 Nos
188	LED Flood Light 60W Fitting	Philips/Surya/Helonix/Cr ompton /Havells/Bajaj/C&S/GRE	Street Light (IP-65), Surge -4KV	1 Nos

189	LED Flood Light 90W Fitting	Philips/Surya/Helonix/Crompton /Havells/Bajaj/C&S/GRE	Street Light (IP-65), Surge -4KV	1 Nos
190	LED Flood Light 100W Fitting	Philips/Surya/Helonix/Crompton /Havells/Bajaj/C&S/GRE	Street Light (IP-65), Surge -4KV	1 Nos
191	LED Flood Light 120W Fitting	Philips/Surya/Helonix/Crompton /Havells/Bajaj/C&S/GRE	Street Light (IP-65), Surge -4KV	1 Nos
192	LED Flood Light 150W Fitting	Philips/Surya/Helonix/Crompton /Havells/Bajaj/C&S/GRE	Street Light (IP-65), Surge -4KV	1 Nos
193	LED Flood Light 240/250 W Fitting	Philips/Surya/Helonix/Crompton /Havells/Bajaj/C&S/GRE	Street Light (IP-65), Surge -4KV	1 Nos
	Metal Halide Lamp Tubular type (Maintenance Purpose)			
194	70 Watt	Philips/Surya/Helonix/Crompton /Havells/GRE		1 Nos
195	150 Watt	Philips/Surya/Helonix/Crompton /Havells/GRE		1 Nos
196	250 Watt	Philips/Surya/Helonix/Crompton /Havells/GRE		1 Nos
197	400 Watt	Philips/Surya/Helonix/Crompton /Havells/GRE		1 Nos
	Ballast For MH Fitting (Maintenance Purpose)			
198	70 Watt	Philips/Surya/Helonix/Crompton /Havells/GRE		1 Nos
199	150 Watt	Philips/Surya/Helonix/Crompton /Havells/GRE		1 Nos
200	250 Watt	Philips/Surya/Helonix/Crompton /Havells/GRE		1 Nos
201	400 Watt	Philips/Surya/Helonix/Crompton /Havells/GRE		1 Nos
202	Ignitor Suitable For MH/HPSV Fitting 70/150/250/400W	Standard Make		1 Nos
203	Fan Rewinding		Rewinding of Any fan by using supper enamelled copper wire and over hauling and putting in working order with original speed with guarantee for one year including credit of D.M. retained by Agency.	1 Nos
204	Fan Bearing		Replacing the bearing/ bushing of Ceiling fan and putting the fan in working order including credit of D.M. retained by Agency.	1 Nos
205	Fan Bushing		Replacing the bearing/ bushing of Ceiling fan and putting the fan in working order including credit of D.M. retained by Agency.	1 Nos
	Water Heater:-			

206	Instantaneous type mini water heater with 3 ltr	Recold/Usha/Bajaj/Crompton/spherehot	Instantaneous type mini water heater with 3ltr.capacity copper container housed in fibre body insulated with glass wool / puff insulation and 3 Kw heating elements,adjustable thermostat 30 ⁰ C to 85 ⁰ C with set to operate at 85 ⁰ C (+ /-6 ⁰ C) auto reset indication lamps, thermal cut-out etc.	1 Nos
207	Electric Geyser 6 liters	Recold/Usha/Bajaj/Crompton/spherehot	6ltr capacity copper container housed in fibre body insulated with glass wool / puff insulation and 3 Kw heating elements,adjustable thermostat 30 ⁰ C to 85 ⁰ C with set to operate at 85 ⁰ C (+ /-6 ⁰ C) auto reset indication lamps, thermal cut-out etc.	1 Nos
208	Heating Element for Recold make 6 liter capacity gyser (Maintenance/Reparing purpose)	Recold		1 Nos
209	Thermostate switch for Recold make 6 liter capacity gyser (Maintenance/Reparing purpose)	Recold		1 Nos
210	Heating Element for Recold make 3 liter capacity gyser (Maintenance/Reparing purpose)	Recold		1 Nos
211	Thermostate switch for Recold make 3 liter capacity gyser (Maintenance/Reparing purpose)	Recold		1 Nos
212	Heating Element for Ao Smith make 6 liter capacity gyser (Maintenance/Reparing purpose)	Ao Smith		1 Nos
213	Thermostate switch for Ao Smith make 6 liter capacity gyser (Maintenance/Reparing purpose)	Ao Smith		1 Nos
214	Heating Element for Ao Smith make 3 liter capacity gyser (Maintenance/Reparing purpose)	Ao Smith		1 Nos
215	Thermostate switch for Ao Smith make 3 liter capacity gyser (Maintenance/Reparing purpose)	Ao Smith		1 Nos
	Earthing			
216	Earthing For Electrical Installation up to 440V in normal soil Length of pipe - 1 Mtr Back filling compound - 1 Nos Bag of 15 Kg.	Electrode Make	earth pit of minimum bore dia.150mm size approved make Earthing Electrode consisting Pipe-in-Pipe Technology as per IS 3043-1987 made of corrosion free G.I.Pipes having Outer pipe dia of 50mm having 80-200 Micron galvanising, Inner pipe dia of 25 mm having 200-250 Micron galvanising, connection terminal dia of 12mm with constant ohmic value surrounded by highly conductive compound with high charge dissipation suitable for following type of applications.	1 Nos

217	Earthing For Electrical installation up to 11 KV in normal soil. Length of Pipe : 2.00 mtrs Back filling Compound :1 no. Bag of 25 Kg.	Electrode Make	earth pit of minimum bore dia.150mm size approved make Earthing Electrode consisting Pipe-in-Pipe Technology as per IS 3043-1987 made of corrosion free G.I.Pipes having Outer pipe dia of 50mm having 80-200 Micron galvanising, Inner pipe dia of 25 mm having 200-250 Micron galvanising, connection terminal dia of 12mm with constant ohmic value surrounded by highly conductive compound with high charge dissipation suitable for following type of applications.	1 Nos
218	Bakelite sheet 12mm thick	Standard Make		1 Kg
	Rewinding Of Water Pump Of Following Size with (Maintenance/Repairing purpose)			
219	0.5 H.P -Single Phase Motor			1 nos
220	1.0 H.P -Single Phase Motor			1 nos
221	2.0 H.P -Single Phase Motor			1 nos
222	3.0 H.P -Three Phase Motor			1 nos
223	5.0 H.P -Three Phase Motor			1 nos
224	7.5 H.P -Three Phase Motor			1 nos
225	10.00 H.P -Three Phase Motor			1 nos
226	25.00 H.P -Three Phase Motor			1 nos
227	50.00 H.P -Three Phase Motor			1 nos
228	wire nail clamp	Standard Make	6 mm	1 nos
229	wire nail clamp	Standard Make	7 mm	1 nos
230	wire nail clamp	Standard Make	8 mm	1 nos
231	wire nail clamp	Standard Make	10 mm	1 nos
232	wire nail clamp	Standard Make	12 mm	1 nos
233	wire nail clamp	Standard Make	14 mm	1 nos
234	wire nail clamp	Standard Make	16 mm	1 nos
235	wire nail clamp	Standard Make	25 mm	1 nos
236	wire nail clamp	Standard Make	38 mm	1 nos
237	capacitor	Standard Make	Dry motor fan motor capacitor power film type electrolytic type 240V-1 phase 440V-3 phase.1.5 uf	1 nos
238	capacitor	Standard Make	Dry motor fan motor capacitor power film type electrolytic type 240V-1 phase 440V-3 phase.2.5 uf	1 nos
239	capacitor	Standard Make	Dry motor fan motor capacitor power film type electrolytic type 240V-1 phase 440V-3 phase.3.15/3.4 uf	1 nos
240	capacitor	Standard Make	Dry motor fan motor capacitor power film type electrolytic type 240V-1 phase 440V-3 phase.4.0 uf	1 nos
241	capacitor	Standard Make	Dry motor fan motor capacitor power film type electrolytic type 240V-1 phase 440V-3 phase.6/8 uf	1 nos

242	capacitor	Standard Make	Dry motor fan motor capacitor power film type electrolytic type 240V-1 phase 440V-3 phase.10 uf	1 nos
243	capacitor	Standard Make	Dry motor fan motor capacitor power film type electrolytic type 240V-1 phase 440V-3 phase.15 uf	1 nos
244	capacitor	Standard Make	Dry motor fan motor capacitor power film type electrolytic type 240V-1 phase 440V-3 phase.25 uf	1 nos
245	capacitor	Standard Make	Dry motor fan motor capacitor power film type electrolytic type 240V-1 phase 440V-3 phase.30 uf	1 nos
246	capacitor	Standard Make	Dry motor fan motor capacitor power film type electrolytic type 240V-1 phase 440V-3 phase.35/36 uf	1 nos
247	capacitor	Standard Make	Dry motor fan motor capacitor power film type electrolytic type 240V-1 phase 440V-3 phase.40 uf	1 nos
248	capacitor	Standard Make	Dry motor fan motor capacitor power film type electrolytic type 240V-1 phase 440V-3 phase.42/45 uf	1 nos
249	capacitor	Standard Make	Dry motor fan motor capacitor power film type electrolytic type 240V-1 phase 440V-3 phase.50 uf	1 nos
250	capacitor	Standard Make	Dry motor fan motor capacitor power film type electrolytic type 240V-1 phase 440V-3 phase.55 uf	1 nos
251	capacitor	Standard Make	Dry motor fan motor capacitor power film type electrolytic type 240V-1 phase 440V-3 phase.60 uf	1 nos
252	Electronics choke (Maintenance Purpose Only)	Philips/Surya/Helonix/Crompton /Havells/GRE	36W	1 nos
253	Electronics choke (Maintenance Purpose Only)	Philips/Surya/Helonix/Crompton /Havells/GRE	28W (T5)	1 nos
254	Electronics choke (Maintenance Purpose Only)	Philips/Surya/Helonix/Crompton /Havells/GRE	14W (T5)	1 nos
255	6" x 6" Exhaust Fan	Usha/Crompton/Havells/Bajaj/Almonard	230V-240V AC Plastic Body With Louvers	1 nos
256	8" x 8" Exhaust Fan	Usha/Crompton/Havells/Bajaj/Almonard	230V-240V AC Plastic Body With Louvers	1 nos
257	10" x 10" Exhaust Fan	Usha/Crompton/Havells/Bajaj/Almonard	230V-240V AC Plastic Body With Louvers	1 nos
258	12" x 12" Exhaust Fan	Usha/Crompton/Havells/Bajaj/Almonard	230V-240V AC Plastic Body With Louvers	1 nos
259	9" x 9" Exhaust Fan	Usha/Crompton/Havells/Bajaj/Almonard	230V-240V AC Metal Body	1 nos
260	12" x 12" Exhaust Fan	Usha/Crompton/Havells/Bajaj/Almonard	Heavy Duty,900 RPM,230V-240V AC Metal Body	1 nos
261	12" x 12" Exhaust Fan	Usha/Crompton/Havells/Bajaj/Almonard	Heavy Duty,1400 RPM,230V-240V AC Metal Body	1 nos
262	15" x 15" Exhaust Fan	Usha/Crompton/Havells/Bajaj/Almonard	Heavy Duty,900 RPM,230V-240V AC Metal Body	1 nos

263	15" x 15" Exhaust Fan	Usha/Crompton/Havells/ Bajaj/Almonard	Heavy Duty,1400 RPM,230V-240V AC Metal Body	1 nos
264	18" x 18" Exhaust Fan	Usha/Crompton/Havells/ Bajaj/Almonard	Heavy Duty,900 RPM,230V-240V AC Metal Body	1 nos
265	18" x 18" Exhaust Fan	Usha/Crompton/Havells/ Bajaj/Almonard	Heavy Duty,1400 RPM,230V-240V AC Metal Body	1 nos
266	24" x 24" Exhaust Fan	Usha/Crompton/Havells/ Bajaj/Almonard	Heavy Duty,230V-240V AC Metal Body	1 nos
267	Nylon Cable Tie	Standard Make	50 mm	1 nos
268	Nylon Cable Tie	Standard Make	100 mm	1 nos
269	Nylon Cable Tie	Standard Make	150 mm	1 nos
270	Nylon Cable Tie	Standard Make	200 mm	1 nos
271	Nylon Cable Tie	Standard Make	300 mm	1 nos
272	Wire Connector	Standard Make	5A	1 nos
273	Wire Connector	Standard Make	10A	1 nos
274	Wire Connector	Standard Make	16A	1 nos
275	Wire Connector	Standard Make	32A	1 nos
276	LED Driver	Surya/Helonix/Crompton /Havells/Bajaj/C&S/GRE	18 W	1 nos
277	HRC Fuse (Maintenance Purpose)	L&T/Indo Asian/C&S/Super	63A	1 nos
278	Incandesent Lamp (Maintenance Purpose)	Surya/Helonix/Crompton /Havells/Bajaj/C&S/GRE	60W	1 nos
279	Incandesent Lamp (Maintenance Purpose)	Surya/Helonix/Crompton /Havells/Bajaj/C&S/GRE	100W	1 nos
280	Incandesent Lamp (Maintenance Purpose)	Surya/Helonix/Crompton /Havells/Bajaj/C&S/GRE	200W	1 nos
281	PL Light	Surya/Helonix/Crompton /Havells/Bajaj/C&S/GRE	9/11 w, 4 pin white or yellow	1 nos
	LED Panel Light Fitting Surface Mounting			
282	3/6 Watt	Philips/Surya/Helonix/Cr ompton /Havells/Bajaj/C&S/GRE	Square/Round	1 nos
283	12 Watt	Philips/Surya/Helonix/Cr ompton /Havells/Bajaj/C&S/GRE	Square/Round	1 nos
284	18 watt	Philips/Surya/Helonix/Cr ompton /Havells/Bajaj/C&S/GRE	Square/Round	1 nos
	LED Panel Light Fitting Recess Mounting			
285	3/6 Watt	Philips/Surya/Helonix/Cr ompton /Havells/Bajaj/C&S/GRE	Square/Round	1 nos

286	12 Watt	Philips/Surya/Helonix/Crompton /Havells/Bajaj/C&S/GRE	Square/Round	1 nos
287	18 watt	Philips/Surya/Helonix/Crompton /Havells/Bajaj/C&S/GRE	Square/Round	1 nos
288	Pedestal Fan 400 mm	Usha/Bajaj/Crompton/Orient	400 mm	1 nos
289	1 sq.mm Wire Black	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
290	1 sq.mm Wire Blue	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
291	1 sq.mm Wire Red	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
292	1 sq.mm Wire Yellow	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
293	1 sq.mm Wire Green	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
294	1.5 sq.mm Wire Black	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
295	1.5 sq.mm Wire Blue	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
296	1.5 sq.mm Wire Red	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
297	1.5 sq.mm Wire Yellow	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
298	1.5 sq.mm Wire Green	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
299	2.5 sq.mm Wire Black	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
300	2.5 sq.mm Wire Blue	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
301	2.5 sq.mm Wire Red	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
302	2.5 sq.mm Wire Yellow	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
303	2.5 sq.mm Wire Green	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
304	4 sq.mm Wire Black	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
305	4 sq.mm Wire Blue	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
306	4 sq.mm Wire Red	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr

307	4 sq.mm Wire Yellow	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
308	4 sq.mm Wire Green	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
309	6 sq.mm Wire Black	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
310	6 sq.mm Wire Blue	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
311	6 sq.mm Wire Red	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
312	6 sq.mm Wire Yellow	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
313	6 sq.mm Wire Green	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
314	10 sq.mm Wire Black	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
315	10 sq.mm Wire Blue	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
316	10 sq.mm Wire Red	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
317	10 sq.mm Wire Yellow	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
318	10 sq.mm Wire Green	Polycab/RR kable/Darshan plus/Finolex/Havells	FRLS	1 mtr
319	5/6 A one way Switch	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos
320	5/6 A two way Switch	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos
321	15/16 A one way Switch	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos
322	15/16 A Socket	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos
323	Regulator Socket Type	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos
324	Regulator Switch Type	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos
325	Telephone Socket	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos
326	T.V Socket	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos
327	5/6 Bell Push	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos
	Plates:-			
328	1 Modular Box Plate	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos
329	2 Modular Box Plate	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos
330	3 Modular Box Plate	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos
331	4 Modular Box Plate	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos
332	6 Modular Box Plate	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos

333	8 Modular Box Plate	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos
334	12 Modular Box Plate	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos
335	16 Modular Box Plate	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos
336	18 Modular Box Plate	Hi-Fi/Anchor/Salzer/C&s	Modular type 230V-250V AC	1 Nos
337	10A Single Pole MCB (SP MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
338	16A Single Pole MCB (SP MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
339	20A Single Pole MCB (SP MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
340	25A Single Pole MCB (SP MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 3 to 6 KA	1 Nos
341	6A Single Pole MCB (SP MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 3 to 6 KA	1 Nos
342	1 Modular 6A MCB	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 3 to 6 KA	1 Nos
343	1 Modular10A MCB	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 3 to 6 KA	1 Nos
344	1 Modular 16A MCB	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 3 to 6 KA	1 Nos
345	1 Modular 20A MCB	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 3 to 6 KA	1 Nos
346	1 Modular 25A MCB	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 3 to 6 KA	1 Nos
347	6A Double Pole MCB (DP MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
348	10A Double Pole MCB (DP MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
349	16A Double Pole MCB (DP MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
350	20A Double Pole MCB (DP MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
351	25A Double Pole MCB (DP MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
352	6A Triple Pole MCB (TP MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
353	10A Triple Pole MCB (TP MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
354	16A Triple Pole MCB (TP MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos

355	20A Triple Pole MCB (TP MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
356	25A Triple Pole MCB (TP MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
357	6A Four Pole MCB (TPN MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
358	10A Four Pole MCB (TPN MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
359	16A Four Pole MCB (TPN MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
360	20A Four Pole MCB (TPN MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
361	25A Four Pole MCB (TPN MCB)	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
362	32A Four pole Isolator	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
363	40A Four pole Isolator	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
364	63A Four pole Isolator	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
365	100A Four pole Isolator	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
366	120A Four pole Isolator	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type 230V-250V AC,50Hz Breaking Capacity 10kA	1 Nos
367	25A DP ELCB	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type Breaking Capacity: 10 KA IN:30mA Rated Residual Operating Time<0.1 S	1 Nos
368	32A DP ELCB	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type Breaking Capacity: 10 KA IN:30mA Rated Residual Operating Time<0.1 S	1 Nos
369	40A DP ELCB	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type Breaking Capacity: 10 KA IN:30mA Rated Residual Operating Time<0.1 S	1 Nos
370	63A DP ELCB	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type Breaking Capacity: 10 KA IN:30mA Rated Residual Operating Time<0.1 S	1 Nos
371	25A FP ELCB	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type Breaking Capacity: 10 KA IN:30mA Rated Residual Operating Time<0.1 S	1 Nos
372	32A FP ELCB	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type Breaking Capacity: 10 KA IN:30mA Rated Residual Operating Time<0.1 S	1 Nos
373	40A FP ELCB	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type Breaking Capacity: 10 KA IN:30mA Rated Residual Operating Time<0.1 S	1 Nos
374	63A FP ELCB	C&S/Indo Asian/L&T/Legrand/Siem ens	Class A/B/C Type Breaking Capacity: 10 KA IN:30mA Rated Residual Operating Time<0.1 S	1 Nos
375	2 Way MCB Metal Box	C&S/Indo Asian/L&T	Heavy Grade Steel Powder Coated	1 Nos

376	4 Way MCB Metal Box	C&S/Indo Asian/L&T	Heavy Grade Steel Powder Coated	1 Nos
377	25mm PVC Conduit Pipe	Precision/Nihir/Vraj/BPL	ISI FRLS High grade PVC	1 mtr
378	19mm PVC Conduit Pipe	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 mtr
379	38mm PVC Conduit Pipe	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 mtr
380	50mm PVC Conduit Pipe	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 mtr
381	25mm PVC Flexible Pipe	Precision/Nihir/Vraj/BPL	Standard Quality High Grade PVC	1 mtr
382	19mm PVC Flexible Pipe	Precision/Nihir/Vraj/BPL	Standard Quality High Grade PVC	1 mtr
383	38mm PVC Flexible Pipe	Precision/Nihir/Vraj/BPL	Standard Quality High Grade PVC	1 mtr
384	25mm × 12mm PVC Casing Capping Pipe	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 mtr
385	25mm × 25mm PVC Casing Capping Pipe	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 mtr
386	38mm × 25mm PVC Casing Capping Pipe	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 mtr
387	38mm × 38mm PVC Strip (patta)	Precision/Nihir/Vraj/BPL	High Grade PVC 2/3 mm Thickness ISI FRLS	1 mtr
388	50mm × 50mm PVC Strip (patta)	Precision/Nihir/Vraj/BPL	High Grade PVC 2/3 mm Thickness ISI FRLS	1 mtr
389	100mm × 100 mm PVC Strip (patta)	Precision/Nihir/Vraj/BPL	High Grade PVC 2/3 mm Thickness ISI FRLS	1 mtr
390	19mm PVC Pipe Elbow	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 Nos
391	25mm PVC Pipe Elbow	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 Nos
392	38mm PVC Pipe Elbow	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 Nos
393	19mm PVC Pipe Bend	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 Nos
394	25mm PVC Pipe Bend	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 Nos
395	38mm PVC Pipe Bend	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 Nos
396	50mm PVC Pipe Bend	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 Nos
397	19mm PVC Pipe Coupler	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 Nos
398	25mm PVC Pipe Coupler	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 Nos
399	38mm PVC Pipe Coupler	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 Nos
400	50mm PVC Pipe Coupler	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 Nos
401	19mm PVC Pipe T Bend	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 Nos
402	25mm PVC Pipe T Bend	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 Nos
403	38mm PVC Pipe T Bend	Precision/Nihir/Vraj/BPL	High Grade PVC 2 mm Thickness ISI FRLS	1 Nos
404	14 W Tube Light	Philips/Surya/Helonix/Compton /Havells/GRE	Length : 2 Feet Fluorescent Tube	1 Nos

405	36 W Tube Light	Philips/Surya/Helonix/Crompton /Havells/GRE	Length : 4 Feet Fluorescent Tube	1 Nos
406	40W Tube Light	Philips/Surya/Helonix/Crompton /Havells/GRE	Length : 4 Feet Fluorescent Tube	1 Nos
407	28W t5 Tube Light	Philips/Surya/Helonix/Crompton /Havells/GRE	Length : 4 Feet Fluorescent Tube	1 Nos
408	9/10 W LED Tube Light Fitting	Philips/Surya/Helonix/Crompton /Havells/GRE	Length: 2 feet	1 Nos
409	18 W LED Tube Light Fitting	Philips/Surya/Helonix/Crompton /Havells/GRE	Length: 4 feet	1 Nos
410	20 W LED Tube Light Fitting	Philips/Surya/Helonix/Crompton /Havells/GRE	Length: 4 feet	1 Nos
	CFL Lamp			
411	15 W CFL Light	Philips/Surya/Helonix/Crompton /Havells/Oreva/GRE	Round/Slick Type	1 Nos
412	20W CFL light	Philips/Surya/Helonix/Crompton /Havells/Oreva/GRE	Round/Slick Type	1 Nos
413	35W CFL light	Philips/Surya/Helonix/Crompton /Havells/Oreva/GRE	Round/Slick Type	1 Nos
414	45W CFL light	Philips/Surya/Helonix/Crompton /Havells/Oreva/GRE	Round/Slick Type	1 Nos
415	85W CFL light	Philips/Surya/Helonix/Crompton /Havells/Oreva/GRE	Round/Slick Type	1 Nos
	LED Bulb			
416	14W LED Bulb	Philips/Surya/Helonix/Crompton /Havells/Oreva/GRE	Holder Type	1 Nos
417	18W LED Bulb	Philips/Surya/Helonix/Crompton /Havells/Oreva/GRE	Holder Type	1 Nos
418	23W LED Bulb	Philips/Surya/Helonix/Crompton /Havells/Oreva/GRE	Holder Type	1 Nos
419	36W Tube Light Fitting	Philips/Surya/Helonix/Crompton /Havells/Oreva/GRE	Size:- 2 ft x 2 ft Square	1 Nos
420	Ceiling Fan	Usha/Crompton/Orient/Bajaj/Havells	Sweep Size:- 32",Blades:-3,Aluminium Speed 300-500 rpm, Input power Consumption: 50-60Watt.24/0-20 3 core flexible wire with earthing BEE5 star rating with ISI marking Color:White	1 Nos
421	Ceiling Fan	Usha/Crompton/Orient/Bajaj/Havells	Sweep Size:- 42",Blades:-3,Aluminium Speed 300-500 rpm, Input power Consumption: 50-60Watt.24/0-20 3 core flexible wire with earthing BEE5 star rating with ISI marking Color:White	1 Nos

422	Ceiling Fan	Usha/Crompton/Orient/B ajaj/Havells	Sweep Size:- 48",Blades:-3,Aluminium Speed 300-500 rpm, Input power Cosumption: 50-60Watt.24/0-20 3 core flexible wire with earthing BEE5 star ratin with ISI marking Color:White	1 Nos
423	4 mm Drill Bit	Bosch		1 Nos
424	5 mm Drill Bit	Bosch		1 Nos
425	6 mm Drill Bit	Bosch		1 Nos
426	8 mm Drill Bit	Bosch		1 Nos
427	10 mm Drill Bit	Bosch		1 Nos
428	12 mm Drill Bit	Bosch		1 Nos
429	25 mm Drill Bit	Bosch		1 Nos
430	insulation Type	Steel Grip/Anchor	High Insulation	1 Nos
431	Anchor Fastner (4 inch)	Standard Make	4 inch with double hole fan hook clam S.S,Aluminium	1 Nos
432	Anchor Fastner (3 inch)	Standard Make	3 inch with double hole fan hook clam S.S,Aluminium	1 Nos
433	Earthing Strip	Standard Make	Aluminium Free From corrosion size: 25 mm x 3 mm	1 nos
434	Metal Haliade 400W Halogen Flood Light	Philips/Surya/Helonix/Cr ompton /Havells/Oreva/GRE	Flood Light MH Fitting	1 nos
435	Metal Haliade 250W Halogen Flood Light	Philips/Surya/Helonix/Cr ompton /Havells/Oreva/GRE	Flood Light MH Fitting	1 nos
436	3 core 1.5 sq.mm copper Round Flexible Wire	Polycab/RR kable/Darshan plus/Finolex/Havells	Round Wire	1 mtr
437	3 core 2.5 sq.mm copper Round Flexible Wire	Polycab/RR kable/Darshan plus/Finolex/Havells	Round Wire	1 mtr
438	3 core 4.0 sq.mm copper Round Flexible Wire	Polycab/RR kable/Darshan plus/Finolex/Havells	Round Wire	1 mtr
439	6A,3-Pin Top	Hi-Fi/Anchor	High Grade PVC	1 Nos
440	16A,3-Pin Top	Hi-Fi/Anchor	High Grade PVC	1 Nos
441	2-pin Male and female	Anchor/Hi-fi		1 Nos
442	Multi Socket Pin (Square to Round Pin Converter)	Standard Make	5A	1 Nos
443	Multi Socket Pin (Square to Round Pin Converter)	Standard Make	16A	1 Nos
	Cable Tray			
	Providing and fixing approved make Perforated C type cable tray. Made from CR sheet steel. The cable tray should be single or double bended as per required and as per IS 2062/1079 and shall be coated with hot dip galvanizing as per IS 2629/4759. with coupler plate / Fish plate and GI hardware like nut - bolt and washers etc. erected on existing support as per Specification and as per instruction of engineer in charge..			
444	(1) 50 X 50 X 1.5 mm Thick	Standard Make		1 mtr
445	(2) 100 X 50 X 1.5 mm Thick	Standard Make		1 mtr

446	(3) 150 X 50 X 1.5 mm Thick	Standard Make		1 mtr
	Providing and fixing approved make ' T Junction ' for Perforated C type cable tray. Made from CR sheet steel. The Junction should be bended as per IS 2062/1079 and shall be coated with hot dip galvanizing as per IS 2629/4759. with coupler plate / Fish plate and GI hardware like nut - bolt and washers etc. erected on existing support as per Specification and as per instruction of engineer in charge.. OF FOLLOWING SIZE			
447	(1) 50 X 50 X 1.5 mm Thick '	Standard Make		1 mtr
448	(2) 100 X 50 X 1.5 mm Thick '	Standard Make		1 mtr
449	(3)150 X 50 X 1.5 mm Thick '	Standard Make		1 mtr
	Providing and fixing approved make ' 90° Elbow ' for Perforated C type cable tray. Made from CR sheet steel. The Junction should be bended as per IS 2062/1079 and shall be coated with hot dip galvanizing as per IS 2629/4759. with coupler plate / Fish plate and GI hardware like nut - bolt and washers etc. erected on existing support as per Specification and as per instruction of engineer in charge..			
450	(1) 50 X 50 X 1.5 mm Thick 90° Elbow	Standard Make		1 mtr
451	(2)100 X 50 X 1.5 mm Thick 90° Elbow	Standard Make		1 mtr
452	(3)150 X 50 X 1.5 mm Thick 90° Elbow	Standard Make		1 mtr
	Providing and fixing approved make ' Cross over Junction ' for Perforated C type cable tray. Made from CR sheet steel. The Junction should be bended as per IS 2062/1079 and shall be coated with hot dip galvanizing as per IS 2629/4759. with coupler plate / Fish plate and GI hardware like nut - bolt and washers etc. erected on existing support as per Specification and as per instruction of engineer in charge..			
453	50 X 50 X 1.5 mm Thick Cross Junction	Standard Make		1 mtr
454	100 X 50 X 1.5 mm Thick Cross Junction	Standard Make		1 mtr
455	150 X 50 X 1.5 mm Thick Cross Junction	Standard Make		1 mtr
456	Tube Roter Holder	Standard Make	36W	1 Nos
457	Metal Clad 3 Phase Socket with Top With Box	C&S/Indo Asian/L&T		1 Nos

458	HRC Fuse Pillar	C&S/Indo Asian/L&T		1 nos
459	Rubber Mating 2 x 1 mtr	ISI Standard Make	6 mm	1 each
460	Rubber Mating 2 x 1 mtr	ISI Standard Make	8 mm	1 each
461	Rubber Mating 2 x 1 mtr	ISI Standard Make	10 mm	1 each
462	Rubber Mating 2 x 1 mtr	ISI Standard Make	12 mm	1 each
463	Silicon Insulated Polymer 2 x 1 mtr	ISI Standard Make	2 mm	1 each
464	Silicon Insulated Polymer 2 x 1 mtr	ISI Standard Make	2.5 mm	1 each
465	Silicon Insulated Polymer 2 x 1 mtr	ISI Standard Make	3.00 mm	1 each
466	Screw 45*8	Standard make	Sheet Metal	1 Packet (100 Nos)
467	Screw 50*8	Standard make	Sheet Metal	1 Packet (100 Nos)
468	Screw 60*8	Standard make	Sheet Metal	1 Packet (100 Nos)
469	7" x 7" dia Fan Plate/Plane Plate	Standard make	3mm thick white color	1 no.
470	6" x 6" Square Blank Plate	Standard make	3mm thick white color	1 no.
471	FAN RODE Pipe	Standard make	1 'LENGTH	1 no.
472	FAN RODE Pipe	Standard make	1 .25'LENGTH	1 no.
473	FAN RODE Pipe	Standard make	1 .5'LENGTH	1 no.
474	FAN RODE Pipe	Standard make	2 'LENGTH	1 no.
475	FAN RODE Pipe	Standard make	2.5 'LENGTH	1 no.
476	FAN RODE Pipe	Standard make	3'LENGTH	1 no.
477	FAN RODE Pipe	Standard make	3.5'LENGTH	1 no.
478	FAN RODE Pipe	Standard make	4'LENGTH	1 no.
479	4 Core 4SQ.MM Round Flexible Copper Wire	Polycab/RR kable/Darshan plus/Finolex/Havells	Round Wire	1 mtr.
480	shock proof hand glows	Standard make		1no.
481	Roll Plug PVC	Standard Make	6mm	1no.
482	Roll Plug PVC	Standard Make	8mm	1no.
483	Hand torch LED Battery Operated	Standard Make	A/AA/AAA 1.5 v battery operated	1no.