

Annexure-V

Compliance report

(I) Name of Item : Equipments for Gym

Sr. No.	Specification of e-Tender	Specification of Bidder/Vendor	Deviation (Yes/No)	Remarks
1	<p>Specifications for Equipments for Gym Motorized Treadmill</p> <ul style="list-style-type: none"> ● Motor Power: 3.0-5.0 HP AC Continues / 5-8 HP Peak. Motor should be noiseless ● Speed range : 0 to 20 km/hr ● Running belt area: min 60”(L) X 21”(W) inches ● Recommended maximum user weight: up to 150 kgs. ● Console: Digital display. It should display heart rate, elevation, time, distance, speed and calories. ● Heart rate control with hand grip pulse sensor. Programs: minimum 15 programs including 1 manual Inclination: 0% to 20%. ● Elevation type: Automatic. ● Quick speed and elevation buttons on console. Belt: High density 2-ply urethane. ● Shock absorption: 6-8 point deck suspension/Anti sock. ● MP3 socket and two inbuilt high fidelity speakers ● Safety key stop ● Wheels for transportation 			

2	<p>Elliptical trainer</p> <ul style="list-style-type: none"> • Programmable magnetic resistance system • Strides- min 20 inches long stride for workout • Resistance Level : minimum 16 Levels • Flywheel : 10-15 kg precision balanced • Display readouts: Time, Distance, RPM, Speed, Level, Calories, Pulse and Programs- (Minimum 15) Programs, including 1 Manual, 4 HRC. • Pedals: self-balancing, close spacing, enlarge, impact-absorbing, gentle movements. • Console: Digital display, it should display time, distance, RPM, calories, speed, pulse. • User Weight: up to 140 Kgs. • Mode/set option: Time, distance, calories and pulse can be set as per user requirements. • Transportation: should have Transportation wheels for movement. • Step up height: min 12 inches easy step up height. • Frame structure: Arched support frame for maximum durability and stability. • Accessory holder: should have accessory holder. • Should be rust proof. 			
---	---	--	--	--

3	<p>4 station Multi Gym Unit</p> <ul style="list-style-type: none"> ● Frame Structure: Combination of high tensile strength steel, continuous welded factory assembled weight frame. ● Tubes size Minimum 100 mm x 50 mm and tube, Gauge: 3.0 mm weight stack: 200 X 4 =800 lbs (Minimum) ● Weight plates; PVC weight plates, Fiber protective weight stack enclosure. ● Weight Guide Rods: 20 mm (minimum) chrome plated solid steel, Highly polished rods with weight selector pin ● Pulley Size: 115 mm Grips; ● Hand Grips: High density foam rubber hand grips. ● All frames Structures Electro Statically powder coated to ensure Maximum Corrosion and chip Resistance. ● Should be rust proof. 			
4	<p>Recumbent bike</p> <ul style="list-style-type: none"> ● Maximum 350 Watts ● Resistance Level: 16 levels. Resistance system: Electro Magnetic Resistance. ● Should be programmable with preset facility,. ● Drive system: Centre Design Drive, Super Silent poly- V belt driven ● Fly Wheel with Precision Balanced. ● Seat with sliding adjustment. ● Centre of gravity: Low COG combined with balanced frame prevents rocking. ● In- Built Hand Grip pulse sensor provided with handle grip enable to the cardio monitoring on board. ● Display: LCD ● User weight: minimum 120 Kgs. ● Transportation wheels for easy movement. ● Should have Accessory holder. ● Rating: Commercial. ● Frame Structure: Sturdy and stable steel frame construction/arched support frame for maximum durability and stability. ● Frame finishing: proprietary two coat powder process. ● Should be rust proof. 			

5	<p>Seated Leg Press</p> <ul style="list-style-type: none"> • Weight plates-200 lbs. • Frames should be of high tensile strength steel, • All frames structures electro statically powder coated to ensure maximum corrosion and chip resistance. 			
6	<p>Leg curl</p> <ul style="list-style-type: none"> • Frame: High tensile strength steel, continuous welded, factory assembled weight frame. • Weight Guide Rods: 25 mm, Chrome plated steel, highly polished for smooth movements. • Pulley: Fiber glass reinforced nylon pulleys with high quality bearing. • Cable: 05mm diameter. • Cushioning: Top grade 2" foam high density cushioning. • Rust proof: Electro statically applied powder coated. • Weight plate: Rubberized weight plate make noiseless work out. • Weight Stack: 60 kg minimum. • User Weight: 120 Kgs. 			

(
Name and authorized signature

Seal: